



Silvery / Black Anodized Aluminum Frame Solar Panel Aluminum Frame With Cutting / Punching

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: Packed with EP ,Carton ,Pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 3000tons each month



Product Specification

- Product Name: Aluminum Solar Panel Frame
- Alloy: 6063,6061,6005,6060
- Material: Aluminium
- Surface Treatment: Anodized ,Electrophoretic Coated
- Deep Process: Milling, Drilling ,Cutting
- Temper: T5
- Highlight: aluminium solar panel frame,
solar panel aluminum frame



Product Description

Silvery / Black Anodized Aluminum Frame Solar Panel Aluminum Frame With Cutting / Punching

Silvery Anodized Aluminum Solar Panel Frame / Solar Laminate Panels Profiles / With Cutting , Drilling

Hentec Industry is one of the largest Aluminium Extrusion Manufacturers with 15 years of experience

We Supply quality Solar Panel Frames to a number of the world's leading companies.

We are cooperating with SHARP , BOSCH , PANASONIC , AKCOME...



We Supply The Quality Aluminum Solar Panel Frame

Description:

Material: Aluminium alloy 6063, 6061, 6060, 6005

Temper: T5, T6.

Standard : European standard , CHINA GB.

Surface treatment : Anodize , Electrophosis , or according to customer's special request .

Joint Method: 1) Corner Joint 2) screw joint

We will install the Corker Key to two short side , it will be very easy to install after you receive the goods .

Item	Solar Frame Aluminum Alloy Extrusion Profile with Customized Color
Material	Aluminium 6000 series alloy: such as 6063 6005 6061
Temper	T4 T5 T6
length	3-6 Meter per piece, or as your inquire
Shape	Round, square, flat, hollow, oval, triangle, U-profile, L-profile, T-profile, customized available
Thickness	General profile Thickness: 0.7 - 5.0mm
Deep process	CNC ,drilling ,milling ,cutting ,bending ,tapping ,welding ,assembling ,punching
Frame Section Size	30mm*35mm ,35mm*35mm ,35mm*40mm ,30mm*46mm ,35mm*45mm ,35mm*50mm etc



The Corner Key has been installed before packing .

Package: Our packing suitable for sea shipment and air shipment . We use shrink to pack each profile , and then packed with carton and wooden case .

Capacity: 500 000 sets per month

Advantages of our products:

- (1) Quality-assured products, fully be accredited by ISO: 2008 and "National Inspection-free product"
- (2) The products are manufactured by first-class automatized equipment and advanced quality inspection&test facilities. Excellent accuracy up to 0.02mm
- (3) Preferable weather resistance, water resistance, wear resistance, anticorrosion, insulativity, heat resistance
- (4) high hardness and brightness
- (5) The surface no scratch
- (6) Easy to install
- (7) A variety of styles and sizes suitable for any tastes and budgets, so you needn't to pay for the new molds
- (8) Our solar panel aluminum are appreciated by customers both at home and abroad
- (9) We can support the solar panel aluminum frame according to your design drawings and samples

Hentec owns 44 extrusion production line introduced from Taiwan .




Hentec has 6 units aluminum oxide surface treatment production line .




Powder Sparying Workshop



Our Machining Workshorp





Our Casting Workshop



HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421