



Powder Painting 6061 Aluminum Profile , Construction Aluminum Profile

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: CHINA
- Brand Name: Hentec
- Certification: ISO9001-2008
- Minimum Order Quantity: 1
- Packaging Details: Package :Carton+Wooden Pallet/Box
- Delivery Time: >=5 days
- Payment Terms: T/T



Product Specification

- Material: Aluminum
- Surface Treatment: Powder Painted Or Customer's Requirement
- Color: Generally White/black Or Customer's Requirement
- Size: Customized
- Packing: Carton
- Application: Window
- Highlight: **structural aluminum extrusions,
aluminium structural sections**

Product Description

Powder Painting 6061 Aluminum Profile , Construction Aluminum Profile

1. Features of Extruded CNC Machining Aluminium profile:

- 1) Qualified aluminium alloy: 6063 (6061, 6060, 6005 available)
- 2) Finish: Black anodization, sandblasting
(Besides, our factory is also capable to provide different surface treatment for our customers to choose, such as Powder Coating, Painting, Silkscreening, Polishing, brushing, hard anodization, natural anodization, color anodization, etc.)
- 3) Machining: The faceplate includes Stamping, CNC machining and drilling. (Besides, we can provide precision processing such as bending, welding, lathing, tapping, shearing, cutting, milling, punching, etc)
- 4) OEM & ODM design is welcome.

Item	Original Products	Alternatives
Extrusion tolerance	GB /T5237-2000 (Chinese Standard)	EN-755-2/3/6/8, BS-1474, BS 1161 (British Standards) JIS H4100 (Japanese Standard) AS/NZS1866-1997 (Australian New Zealand Standard)
Machining tolerance	GB/T1804-92	BS 8118 TS1649
Standard for Anodizing	GB5237.2-2004	BS1615: 1987 BS5599: 1993 Mil-A-8625E Type II Mil-A-8625E Type III
Manufacturing Process	Die designing→ Die making→ Smelting& alloying→ Extruding→ Cutting→ CNC machining→ Drilling→ Tapping→ Surface treatment→ Welding→ Assembling→ Packing	
Packing method	1. Standard packing: Each profile will be wrapped in the plastic sheet in order to protect the profiles' surfaces, kraft paper wrapped in bundles. 2. Special packing: wooden cases . 3. Bundles or boxes with wooden bars 4. EPE+carton boxes. 5. Customized packing methods are welcomed. 6. 13 tons to a 20 feet container, 20 tons to a 40 feet container	

2. Why choose Our Aluminium:

- 1) Best Quality Control: We have pass ISO9001 for more than 12years and products pass RoHS test.
- 2) One-stop service: From tool design&making to alloying aluminium, extrude, machining, surface treatment, packing as well as assembling, we do everything in house.
QCs and QAs are ready at the production line to inspect the products.
- 3) Best communication with competitive price: sales rep. help customers to quote within 24hours.
- 4) Equip with the advanced facilities in the Lab to test the products in the production lines, samples and material to insure it is qualified.
- 5) Strong technical support: We have specific technicians to provide the aluminium extrusion solutions to our customers. Specific engineers to provide loading method for overseas

transportation.



HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421