Bright Black Aluminum Heatsink Extrusion Profiles / Electronic Radiateor


Basic Information

. Place of Origin: China НТ . Brand Name: CA,CE · Certification: Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000ton each month



Product Specification

• Product Name: Aluminum Heatsink Extrusion Profiles

• Alloy: 6063,6061,6005 • Material: Aluminum

Suface Treatment: Mill Finished, Anodized , Electrophoretic

Coated, Powder Spray Coated

• Deep Process: Milling, Drilling, Bending, Cutting

T4, T5, T6, T66 • Temper:

· Highlight: aluminium heatsink extrusion,

aluminium extrusion heat sink profiles

Product Description

Bright Black Anodized Aluminum Heat Sink Extrusion Profiles / Customized Electronic Radiateor

Descrition:

Electronic radiator products have the feature of exquisite workmanship, long operation life and high working efficiency, thus get a great superiority in the market. These products win most users favor and are highly praised because of their good quality, price and service, etc. Frequency conversion radiator products are safe and reliable, with simple structure and very good cost performance, which can be done with all kinds of surface treatments; whileinsert radiators are rigid and durable, with unique design, easy installation and long service life.

Name	Bright Black Anodized Aluminum Heat Sink Extrusion Profiles / Customized Electronic Radiateor						
Available materials	Aluminum, Alloy						
Process	CNC milling and turning, drilling, grinding, bending, stamping, tapping						
Tolerance:	0.02mm~0.1mm						
Surface Roughness	Ra1.6-3.2						
DRW format	PDF/DWG/IGS/STP/ etc						
Equipment	CNC machining center, CNC turning, General milling machines.						
Capacity:	10,0000pieces per month						
MOQ:	10pcs						
Machining Scope:	1). Equipment/Machinery 2). Medical & Technological parts 3). The Automotive/motorcycle parts 4). The telecommunication parts 5). The power tool parts 6). Bicycle parts 7). The agricultural parts 8). Hardware						
QC System:	100% inspection before shipment						
Payment term	T/T ,Pay Pal, West Union						
Surface treatment	Anodizing, zinc/chrome/nickel/silver/gold Plating, Polish, Imitation, , Heat treatment etc						
Shipment Terms:	1) 0-100kg: air freight priority						
	2) >100kg: sea freight priority						
	3) As per customized specifications						
Packing	 Prevent from damage. As customers' requirements, in perfect condition. Send the sample by express, 3~5 days door to door service. 						
Note:	All parts are not in stock, custom made according to customer's drawings or samples! If you have any parts to be made, please feel free to send your kind drawings						

Applications:

Aluminum heat sink is widely used on Machines, cars, lighter...

Specifications:

1. Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0000	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%



- Competitive Advantage:

 1, We can do the designs according to the customers' requirement
 2, We can open customers' own die as per their requirement
 3, We can offer you the high quality products & reasonable price
 4, We can offer you a good after-sell service
 5, We have strong professional design team
 6, Prompt delivery, sample order is welcome.



extruded aluminum heat sink aluminum heatsink extrusion profiles

⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436





aluminum@hentec.com.cn aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421