



## Silvery / Golden Industrial Aluminium Profile With Cutting / Punching / Drilling

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

### Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



### Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063 / 6061
- Material: Aluminum Alloy
- Surface Treatment: Mill Finished, Anodized, Electrophoretic Coated, Powder Spray Coated
- Deep Process: Milling, Drilling, Bending, Cutting
- Temper: T5, T6
- Highlight: **aluminum extrusion profiles,  
aluminium door frame**

## Product Description

### Silvery / Golden Industrial Aluminum Profile With Cutting / Punching / Drilling

- (1). Suitable for industry,architecture,transportation and so on.
- (2). 20 years warranty.
- (3). High corrosion resistance.
- (4). 5-10 years weather resistance.
- (5). Good wear resistance & anti-scratch.
- (6). Size customized.

#### Surface treatment

Surface treatment	Mill-finish,anodized,powder,coated,electrophoresis,wood grain,brushed
Anodized Color	Silver,black,chanpagne,bronze,gold or customized
Anodized thickness	8 - 25um
Electrophoresis color	Silver,black,chanpagne,bronze,gold or customized
Powder coated Color	All color by Raul ,or customized
Powder coated thickness	40 - 120um
Wood grain	customized
Guarantee	surface color can be stable for 10 - 20years indoor using

#### Packing

Bundles Packing	Inside: packed with plastic protective film to protect each piece Outside: wrap to be bundles by waterproof craft paper or EPE film
Carton packing	Inside: each pcs pack in one plastic bag; Outside: Numbers of quantity put in one carton.
Wood Pallet packing	Inside: Bundles or cartons packing Outside: Numbers of bundles or cartons laden on one wood pallet
Customized requirement	Customized packing requirement available

#### Other service details

MOQ	200kgs for each item ;Usually 13 - 15tons for a 20Gp ;25 - 28tons for a 40HQ
OEM service	Drawing , sample or design service offer by customer
Production Capacity	1000 - 1500 metric monthly
Deep process	CNC ,drilling ,milling ,cutting ,bending ,tapping ,welding ,assembling ,punching
Brand Name	Hentec
Certificatesand Standard	ISO9001 - 2008. ISO14001 . SGS
Delivery time	Die developing and sample testing :12 - 18days ; Mass production :20 - 30days after confirming sample by buyer
Payment Terms	T/T 30% for deposit ,balance before delivery
FOB port	Shanghai
Settlement Terms	charge by final actual weight or by drawing theoretical weight

#### Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab. )Production Lead time: it depends on customers' order quantity ( 30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

#### Applications:

Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

**Competitive Advantage:**

1. good quality aluminium profile with economic price
2. 15-year manufacturing experience
3. ISO9000
4. ODM or OEM

**FAQ For Saving Your Precious Time!**

Q1: What's the thickness for anodizing? Can you do 15um?

A: Our normal thickness is about 10 um. Yes, we can do 15um and above.

Q2: What color you can do for powder coating? The thickness for powder coat?

A: We can do any color for powder coat as long as you can provide the color sample. Our normally powder coating thickness is 60-80um.

Q3: What color you can do for wood grain?

A: Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc. If you need any other colors, we can do according to the color samples you provide.

Q4: How's the weather resistance for wood grain finish D1010?

A: (1). Powder: Akzo Noble Interpon D1010.

(2). Wood grain film: Italian Memphis.

(3). Standard complied: American AAMA Standard.2603

(4). UV test: 1000 hours.

(5). Salt spraying test: 1000 hours.

(6). Normal weather: 10 years color guarantee.

Q5: What certification do you have? What's your standard?

A: We have ISO certification. Our standard is DIN, AAMA, AS/NZS, China GB.

Q6: What's the delivery time for samples and mass production?

A: (1). 2-3 weeks to make the new moulds and make free samples.

(2). 3-4 weeks after receipt of deposit and confirmation of the order.



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421