



Customized Powder coated T Slot Aluminum Profile For Production Line

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063
- Material: Aluminum
- Surface Treatment: Powder Coated
- Deep Process: Cutting
- Temper: T5 T6
- Highlight: aluminium door frame,
aluminium extruded profiles

Product Description

Customized Industrial Aluminium Profile For Production Line , T Slot Aluminum Profile

1. Company with rich manufacturing experience

Hentec Industry Co., Ltd, is one of the leading aluminum manufacturer in China, with 10 years experience.

2. Production Management

Hentec Industry made complete quality management program and system, Monitor the process from product development, purchasement, production, sales and aftersale service.

3. Quality Supervision

Hentec Industry own complete testing equipment from raw material to finished products. We own the most powerful curtain wall testing base in China .

Characteristics of different surface treatment	
Mill finish	National standard aluminium billets which is available for any kind of surface treatment, with natural burnish. Other products in the market are probably made of recycled aluminium alloy, not available for polishing and other special surface treatment. Moreover, the hardness and planeness cannot meet general standard.
Anodizing	Our even anodizing process is used for protecting the surface, and Matt Anodized Silver is the best seller which you can hardly find mechanical lines on the surface (better than other factories) with beautiful fine sand blasting processing. The surface with an anodizing thickness between 10 and 13 μm can hardly be scratched, small scratch marks can be easily removed. However, other profile products with the same color in the market would be easily bruised because of a smaller thickness, and it's also difficult to remove the scratch marks on their surface.
Electrophoresis	Electrophoresis surface is more shining and smooth than anodizing, no particles on the surface.
Powder coating	Various colors or customized are available. No particles can stay in the air during the process, which makes our profile surface very smooth. Actually this is a technical problem which can hardly be solved by other factories. This is also our product advantage as comparing with other profiles with the same color in the market.
Polishing	Mirror like finish by buffing and chemical process.
Brushed	Shining with line by brushing and chemical process.

Order, payment, terms, shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days (15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.) Production Lead time: it depends on customers' order quantity (30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling: 100% prepaid by T/T.
- 5, Parts: 30% upon order confirmation and balance before delivery by T/T

Drawing no	Drawing	SMM kg/m
HT-745		1.292
HT-746		0.786
HT-747		2.524
HT-749		0.464
HT-750		0.808
HT-751		1.616

Drawing no	Drawing	SMM kg/m
HT-752		1.646
HT-753		2.952
HT-754		2.015
HT-767		1.522

Applications:

Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.

Competitive Advantage:

1. 12 years' experiences of manufacturing, 10 years' exporting experiences .
2. STRONG R&D: Help customers finalize the design, strong tool design ability,excellent pressing and surface treatment technology.
3. Strict quality management: ISO Administration system.
4. 24 hours on-line communication.Professional, Patient, Flexible.
5. High capacity of manufacturing and wide range of products.
6. Be able to provide secondary fabricating.
7. Small order is accepted.
8. Be able to provide one-stop supply solution.