



Customized Industrial Aluminium Profile For Production Line / Strut Profile

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Strut Profile
- Alloy: 6063
- Material: Aluminum
- Surface Treatment: Anodized
- Deep Process: Cutting
- Temper: T5 T6
- Highlight: **aluminum extrusion profiles,
aluminium door frame**

for more products please visit us on aluminumextrusion-profiles.com

Product Description

Customized Industrial Aluminium Profile For Production Line / Strut Profile

1. Company with rich manufacturing experience

Hentec Industry Co., Ltd, is one of the leading aluminum manufacturer in China, with 10 years experience.

2. Production Management

Hentec Industry made complete quality management program and system, Monitor the process from product development, purchasement, production, sales and aftersale service.

3. Quality Supervision

Hentec Industry own complete testing equipment from raw material to finished products. We own the most powerful curtain wall testing base in China .

Product Description	Customized Industrial Aluminium Profile For Production Line / Strut Profile
Material	Aluminum Alloy 6063-T5, 6063-T6, 6061-T5, 6061-T6
Surface Treatment	Powder coating, PVDF coating, Anodized, Electrophoresis, Wood grain transfer printing
Deep Processing	CNC, drilling, milling, cutting, welding, bending, assembling
Specification	A. Length: ≤6.5m B. Normal Wall thickness: ≥1.0mm C. Normal Anodizing thickness: ≥8μm D. Normal powder coating thickness: 60-120μm E. Color: Silvery white, black, golden, champagne, dark bronze or according to your requirement. F. Normal Warranty: 5-10 years, or as your requirement.

Fasteners-Nut	T nut, spring nut, slide nut, square nut, hex nut
Fasteners-Bolt	t screw, hex socket screw, cross socket screw, cylinder screw
Corner Bracket	1515 bracket, 2020 bracket, 3030 bracket, 4040 bracket, 4545 bracket, 5050 bracket, 2040 bracket, 3060 bracket, 4080 bracket, 50100 bracket
Decorative Parts	Slot cover, end caps, hangers, and etc
Casters/Support Feet	footmaster casters, adjustable stainless steel feet, and etc
Door and Window Accessories	door hange, door handle, slot cover, end caps, and etc
Aluminum Profile Frame/Rack/Cabint	AL protection frame for equipment, machine, conveyor, worktable, warehouse, and etc

Order, payment, terms, shipment

1, Minimum order: 500kg per trial order 1 piece of sample free ..

2, Sample Lead Time: 25 working days (15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.) Production Lead time: it depends on customers' order quantity (30 working days after deposit).

3, Payment: T/T or L/C .

Drawing no	Drawing	SMM kg/m
HT-745		1.292
HT-746		0.786
HT-747		2.524
HT-749		0.464
HT-750		0.808
HT-751		1.616

Drawing no	Drawing	SMM kg/m
HT-752		1.646
HT-753		2.952
HT-754		2.015
HT-767		1.522

Applications:

conveyors, workstations, machine guards, stairs and platforms. Tubular Framing System .

Competitive Advantage:

1. 12 years' experiences of manufacturing, 10 years' exporting experiences .
2. STRONG R&D: Help customers finalize the design, strong tool design ability,excellent pressing and surface treament technology.
3. Strict quality management: ISO Administration system.
4. 24 hours on-line communication.Professional, Patient, Flexible.
5. High capacity of manufacturing and wide range of products.
6. Be able to provide secondary fabricating.
7. Small order isaccepted.
8. Be able to provide one-stop supply solution.