



## Industrial Aluminium Profile System t slotted framing For Workbench / Working Table

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

### Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 5 000 ton each month



### Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6061,6005
- Material: Aluminum
- Surface Treatment: Electrophoretic Coated,Powder Spray Coated
- Deep Process: Bending,Cutting
- Temper: T6 ,T66
- Highlight: **modular aluminium profile system,  
aluminium extrusion frame system**

## Product Description







### Industrial Aluminium Assembly Line / Aluminum T Slot Profile For Workbench / Assembly Line / Working Table





#### Product Details

<b>Item</b>	Powder Coated Aluminium Profile of Doors and Windows
<b>Material</b>	Aluminium 6000 series alloy: such as 6063 6005 6061
<b>Temper</b>	T4 T5 T6
<b>length</b>	3-6 Meter per piece, or as your inquire
<b>Shape</b>	Round,square,flat,hollow,oval,triangle,U-profile,L-profile,T-profile,customized avaiable
<b>Thickness</b>	General profile Thickness: 0.8 - 5.0mm
<b>Deep process</b>	CNC ,drilling ,milling ,cutting ,bending ,tapping ,welding ,assembling ,punching

#### Surface treatment

<b>Surface treatment</b>	Mill-finish,Anodized,Powder coated,Electrophoresis,Wood grain,Brushed, Polishing
<b>Anodized thickness</b>	8 - 25um
<b>Anodized Color</b>	Silver,black,chanpagne,bronze,gold or customized
<b>Electrophoresis Color</b>	Silver,black,chanpagne,bronze,gold or customized
<b>Powder coated Color</b>	All color by RAL ,or customer's color sample
<b>Powder coated thickness</b>	40 - 120um
<b>Wood grain</b>	customized
<b>Guarantee</b>	surface Brightly can be stable for 10 - 20years

Drawing no	Drawing	SMM kg/m
HT-745		1.292
HT-746		0.786
HT-747		2.524
HT-749		0.464
HT-750		0.808
HT-751		1.616

Drawing no	Drawing	SMM kg/m
HT-752		1.646
HT-753		2.952
HT-754		2.015
HT-767		1.522

**Applications:**

Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.

**Competitive Advantage:**

1. 12 years' experiences of manufacturing, 10 years' exporting experiences .
2. STRONG R&D: Help customers finalize the design, strong tool design ability, excellent pressing and surface treatment technology.
3. Strict quality management: ISO Administration system.
4. 24 hours on-line communication. Professional, Patient, Flexible.
5. High capacity of manufacturing and wide range of products.
6. Be able to provide secondary fabricating.
7. Small order is accepted.
8. Be able to provide one-stop supply solution.



**HENTEC** Hentec Industry Co.,Ltd

+86-13861643436    aluminum@hentec.com.cn    aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421