

## SGS Customized Industrial Aluminium Profile For Work Table , Powder Coated Surface Treatment

### Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

#### Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



#### Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063
- Material: Aluminum
- Surface Treatment: Powder Coated
- Deep Process: Cutting
- Temper: T5 T6
- Highlight: **aluminium door frame,  
aluminium extruded profiles**



## Product Description

### SGS Customized Industrial Aluminium Profile For Work Table , Powder Coated Surface Treatment

### Customized Industrial Aluminium Profile For Production Line ,Aluminum Profile For Work Table

#### 1. Company with rich manufacturing experience

Hentec Industry Co., Ltd. is one of the leading aluminum manufacturer in China, with 10 years experience.

#### 2. Production Management

Hentec Industry made complete quality management program and system, Monitor the process from product development, purchasement, production, sales and aftersale service.

#### 3. Quality Supervision

Hentec Industry own complete testing equipment from raw material to finished products. We own the most powerful curtain wall testing base in China .

#### Products' details:











Material	alloy 6063 6005 6060 6061
Temper	T5 T6
Surface treatment	anodizing, powder coating
Color	Different color is available; just bring us your color sample or color number
Style and size	Standard and custom
Deep processing	extrude, precious cut, punch, drill, tap, mill, rivet, assembly, etc
Extruding machine	600-2500tons
Minimum order	1 ton for 6063, others to be 5-10 tons
Price term	aluminum profile price calculated by ton. FOB SHANGHAI
Quality	High corrosion resistance, high weather resistance
Price	The price differs according to the customized surface treatment.
Certificates	ISO9001-2008 Quality System and ISO14001-2004 Environment System, Rohs
Standard of Quality	According to the standard of China "GB/T6892-2006 High Degree Standard" or "GB/T5237-2000"
Type	With 20 years' experience, we are able to produce any type of aluminium profile you need
Widely usage	Widely used in construction, decoration and varied industry fields
Annual output	80 000metric tons' aluminium extrusion

Content	Specification
Aluminum Profile	from 20 series to 100 series
Fasteners-Nut	t nut, spring nut, slide nut, square nut, hex nut
Fasteners-Bolt	t screw, hex socket screw, cross socket screw, cylinder screw
Corner Bracket	1515 bracket, 2020 bracket, 3030 bracket, 4040 bracket, 4545 bracket, 5050 bracket, 2040 bracket, 3060 bracket, 4080 bracket, 50100 bracket
Decorative Parts	Slot cover, end caps, hangers, and etc
Casters/Support Feet	footmaster casters, adjustable stainless steel feet, and etc
Door and Window Accessories	door hange, door handle, slot cover, end caps, and etc
Aluminum Profile Frame/Rack/Cabint	AL protection frame for equipment, machine, conveyor, worktable, warehouse, and etc

#### Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab. )Production Lead time: it depends on customers' order quantity ( 30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.

5, Parts:30% upon order confirmation and balance before delivery by T/T

Drawing no	Drawing	SMM kg/m	Drawing no	Drawing	SMM kg/m
HT-745		1.292	HT-752		1.646
HT-746		0.786	HT-753		2.952
HT-747		2.524	HT-754		2.015
HT-749		0.464	HT-767		1.522
HT-750		0.808			
HT-751		1.616			

#### Applications:

Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.

#### Competitive Advantage:

1. 12 years' experiences of manufacturing, 10 years' exporting experiences .
2. STRONG R&D: Help customers finalize the design, strong tool design ability,excellent pressing and surface treament technology.
3. Strict quality management: ISO Administration system.
4. 24 hours on-line communication.Professional, Patient, Flexible.
5. High capacity of manufaturing and wide range of products.
6. Be able to provide secondary fabricating.
7. Small order isaccepted.
8. Be able to provide one-stop supply solution.