



6063- T5 Anodized Aluminum Frame With Screw Connection / Conner Joint

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HENTEC , KUNTAI
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: Packed with EP ,Carton ,Pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 3000tons each month



Product Specification

- Product Name: Aluminum Solar Panel Frame
- Alloy: 6063,6061,6005,6060
- Material: Aluminium
- Surface Treatment: Anodized ,Electrophoretic Coated
- Deep Process: Milling, Drilling ,Cutting
- Temper: T5
- Highlight: aluminium solar panel frame,
solar panel aluminum frame

for more products please visit us on aluminumextrusion-profiles.com

Product Description

Our company Hentec Industry Co.,Ltd is one of the largest manufacturers of extruded aluminum profiles in China. Since its establishment in 2007,the Company is dedicated to the design and manufacturing of advanced high precision extruded aluminum profiles.Through years of effort and perseverance, Hentec Aluminum's product range has expanded from architectural doors, windows and curtain walls to various industrial profiles etc., with its products being used all over the world.

We are cooperating with SHARP , BOSCH , PANASONIC , AKCOME...

Description:

Material: Aluminium alloy 6063, 6061,6060,6005

Temper: T5, T6.

Standard : European standard , CHINA GB.

Surface treatment : Anodize , Electrophosis , or according to customer's special request .

Joint Method: 1)Corner Joint 2) screw joint

We will install the Corker Key to two short side , it will be very easy to install after you receive the goods .

Item	6063-T5 Anodized Aluminum Frame With Screw Connection / Conner Joint
Material	Aluminium 6000 series alloy: such as 6063 6005 6061
Temper	T4 T5 T6
length	3-6 Meter per piece, or as your inquire
Shape	Round,square,flat,hollow,oval,triangle,U-profile,L-profile,T-profile,customized avaiaible
Thickness	General profile Thickness: 0.7 - 5.0mm
Deep process	CNC ,drilling ,milling ,cutting ,bending ,tapping ,welding ,assembling ,punching
Frame Section Size	30mm*35mm ,35mm*35mm ,35mm*40mm ,30mm*46mm ,35mm*45mm ,35mm*50mm etc

Package: Our packing suitable for sea shipment and air shipment . We use shrink to pack each profile , and then packed with carton and wooden case .

Capacity: 500 000 sets per month

Advantages of our products:

- (1) Quality-assured products, fully be accredited by ISO: 2008 and "National Inspection-free product"
- (2) The products are manufactured by first-class automatized equipment and advanced quality inspection&test facilities. Excellent accuracy up to 0.02mm
- (3) Preferable weather resistance, water resistance, wear resistance, anticorrosion, insulativity, heat resistance
- (4) high hardness and brightness
- (5) The surface no scratch
- (6) Easy to install
- (7) A variety of styles and sizes suitable for any tastes and budgets, so you needn't to pay for the new molds
- (8) Our solar panel aluminum are appreciated by customers both at home and abroad
- (9) We can support the solar panel aluminum frame according to your design drawings and samples

Hentec owns 44 extrusion production line introduced from Taiwan .



Hentec has 6 units aluminum oxide surface treatment production line .



Powder Sparying Workshop



Our Machining Workshop



Our Casting Workshop



 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421