




Electrical Cover / Enclosure Extruded Aluminum Profiles With CNC Machining , PCB Cover

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com


Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 500pcs
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Aluminum Heatsink Extrusion Profiles
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **extruded aluminium profiles, aluminum extrusion profiles**



Product Description

Electrical Cover / Enclosure Extruded Aluminum Profiles With CNC Machining , PCB Cover

1. Reliable quality (ISO9001:2008 certified).
2. Competitive prices with short lead-time for both tooling and parts, because we do everything in-house.
3. Effective and strong technical support and excellent sales services.
4. Sufficient production capacity (only 65% occupied).
5. Efficient communication (48-hour quote lead time).
6. Compliant with RoHS Test.

Products discription:

1 business type	Manufacturer
2 Standard:	GB 5237-2008; EN755,etc
3 Product series:	Aluminium profile for building material and industrial materail
4 Price:	Based on SMM Aluminium Ingot price(www.smm.cn) + processing Fee
5 Payment term:	T/T, L/C at sight
6 Surface treatment:	mill finish,Anodizing, Powder coating, electrophoresis, wooden finish,heat insulating
specification:	
7 Alloy:	6063, 6060, 6061, 6005
8 state:	T4/ T5/T6
9 length	1m-7m, generally 5.85m for container
1 Normal Anodizing 0 thickness:	AVERAGE >10 micro,
1 Normal powder 1 coating thickness:	>60micro
1 thickness:	0.6mm,0.8mm,1.0mm,1.2mm,1.4mm,2.0mm,3.0mm,etc
2	

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1. Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

2. Specifications:

Excellent material for smooth and subtle edges.
 Elegant appearance.
 Surface treatment: colorful anodized or electrostatic powder coated.
 Suitable for constructions and other industrial purposes.
 Customized surface finishes are welcome.

Competitive Advantage:

- 1.OEM and ODM are welcome

2.Strict inspection process



HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421