Powder Coating Construction Extruded Aluminum Profiles Customized Sections

Basic Information

. Place of Origin: China

. Brand Name: HENTEC ,KUNTAI

CA,CE Certification: Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000ton each month



Product Specification

• Product Name: Aluminum Extrusion Profile

• Alloy: 6063,6061 • Material: Aluminum

Suface Treatment: Mill Finished, Anodized

T5, T6, T66 • Temper:

Application: Buildings,commercial,industrial • Highlight: construction aluminium profile, aluminium profile extrusion

Product Description

Powder Coating Construction Extruded Aluminum Profiles Customized Sections

Our 4500T grade extrusion machine enable us to produce any section within 400*150mm and ϕ 360. Your drawings are definitely welcomed.

Price indication: basic aluminium ingot, extrusion cost, surfacing cost and extra.

We also supply fully assembled premium grade window&door systems

Product Specification

| Item | High quality extruded industrial aluminium profiles | | | | | | | |
|-------------|---|--|--|--|--|--|--|--|
| material | luminium 6000 series alloy: such as 6063 6005 6061 | | | | | | | |
| Temper | T4 T5 T6 | | | | | | | |
| Size | 3m - 6m per piece ,or customized | | | | | | | |
| Shape | round, square, flat, hollow, oval, triangle, U-profile, L-profile, T-profile, customized avaiable | | | | | | | |
| Thickness | General profile thickness:0.8 - 5.0mm | | | | | | | |
| Application | Construction | | | | | | | |

Surface treatment

| Surface truement | Mill-finish,anodized,powder,coated,electropheresis,wood grain,brushed | | | | | | |
|-------------------------|---|--|--|--|--|--|--|
| Anodized Color | ilver,black,chanpagne,bronze,gold or customized | | | | | | |
| Anodized thickness | 8 - 25um | | | | | | |
| Electrpheresis color | ver,black,chanpagne,bronze,gold or customized | | | | | | |
| Powder coated Color | All color by Raul ,or customized | | | | | | |
| Powder coated thickness | 40 - 120um | | | | | | |
| Wood grain | customized | | | | | | |
| Guarantee | surface color can be stable for 15- 20years indoor using | | | | | | |

Packing

| Bundles Packing | Inside: packed with plastic protective film to protect each piece |
|------------------------|---|
| | Outside: wrap to be bundles by waterproof craft paper or EPE film |
| | Inside: each pcs pack in one plastic bag; |
| Carton packing | Outside: Numbers of quantity put in wooden case |
| Wood Pallet | Inside: Bundles or cartons packing |
| packing | Outside: Numbers of bundles or cartons laden on one wood pallet |
| Customized requirement | Customized packing requirement available |

Other service details

| MCC | 500kgs for each item ;Usually 13 - 15tons for a 20Gp ;24 - 25tons for a 40HQ | | | | | | | |
|-----------------------------|--|--|--|--|--|--|--|--|
| OEM service | Drawing, sample or design service offer by customer | | | | | | | |
| Production Capacity | 1000 - 1500 metric monthly | | | | | | | |
| Deep process | CNC ,drilling ,milling ,cutting ,bending ,tapping ,welding ,assembling ,punching | | | | | | | |
| Brand Name | HENTEC ,KUNTAI | | | | | | | |
| Certificatesand Standard | ISO9001 - 2008. ISO14001 . SGS | | | | | | | |

| Delivery time | Die developing and sample testing :12 - 18days ; | | | | |
|------------------|--|--|--|--|--|
| , | Mass production :20 - 30days after confirming sample by buyer | | | | |
| Payment Terms | T/T 30% for deposit ,balance before delivery | | | | |
| FOB port | Shanghai | | | | |
| Settlement Terms | charge by final actual weight or by drawing theoretical weight | | | | |

Applications:

Industry Aluminum profile used in cars, trains machinery, electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1. Primary Technical Data

1) Chemical composition

| Alloy | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Impurity | Al |
|-------|---------|---------|----------|------|----------|-----------|------|------|----------|------|
| 6063 | 0.2-0.6 | 0.35 | 0.1 | 0.1 | 0.45-0.9 | 0.1 | 0.1 | 0.1 | 0.15 | Rest |
| 6061 | 0.4-0.8 | 0.7 | 0.15-0.4 | 0.15 | 0.8-1.2 | 0.04-0.35 | 0.25 | 0.15 | 0.15 | Rest |
| 6060 | 0.3-0.6 | 0.1-0.3 | 0.1 | 0.1 | 0.35-0.6 | - | 0.15 | 0.1 | 0.15 | Rest |
| 6005 | 0.6-0.9 | 0.35 | 0.1 | 0.1 | 0.40-0.6 | 0.1 | 0.1 | 0.1 | 0.15 | Rest |

2) Mechanical property

| Alloy | Temper | Tensile strength | Yield strength | Elongation |
|-------|--------|------------------|----------------|------------|
| 6063 | T5 | ≥ 160Mpa | ≥ 110Mpa | ≥ 8% |
| 0000 | Т6 | ≥ 205Mpa | ≥ 180Mpa | ≥ 8% |
| 6061 | Т6 | ≥ 265Mpa | ≥ 245Mpa | ≥ 8% |

Competitive Advantage:

OEM/ODM was offered.

One-stop production equipment and over 10 years' professional experience for researching, manufacturing and marketing. Over thousands of mould and hundreds of drawing for choice.

Domestic hot sale brand:Hentec

Export countries including UK, Germany ,India , South Africa ...

According to standards ISO, GB or other international specifications for production.

22 sets of 600T/1000T/1500T/2500T / 4000Textruders,4 advanced vertical electro-coating lines/horizontal electro-coating lines, spraying coating lines and 4oxidation lines.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436





Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421