Our Product Introduction

HENTEC **Hentec Industry Co.,Ltd** aluminumextrusion-profiles.com

Customized Made V Slot Extruded Aluminum Channel Profile For Work Table

Basic Information

• Place of Origin: China **HENTEC** . Brand Name: SGS · Certification: Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

• Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000ton each month




Product Specification

• Product Name: Industrial Aluminium Profile

• Alloy: 6063 Aluminum • Material: Powder Coated Suface Treatment:

• Deep Process: Cutting • Temper: T5 T6

• Highlight: aluminum extrusion profiles, aluminium door frame



Product Description

Customized Made V Slot Extruded Aluminum Channel Profile For Work Table

Products' details:

Product	Customized Industrial Aluminium Profile For Work Table
Material	6000series aluminium alloy
Temper	T3-T8
Surface	Mill finish,powder coating, anodizing, wooden grain
treatment	coating,polishing,eletrophoresis,PVDF, sanding blasting, etc.
Size	20 40 80series
Slot width	6MM,8MM
Length	6M
Unit weight	0.5-4KG/M
Appearance	Normally square,round and T-shaped,or customized
Color	Silver,black,blue,wood color,according to clients' requirements

Content	Specification
Aluminum Profile	from 20 series to 100 series
Fasteners-Nut	t nut, spring nut, slide nut, square nut, hex nut
Fasteners-Bolt	t screw, hex socket screw, cross socket screw, cylinder screw
Corner Bracket	1515 bracket, 2020 bracket, 3030 bracket, 4040 bracket, 4545 bracket, 5050 bracket, 2040 bracket, 3060 bracket, 4080 bracket, 50100 bracket
Decorative Parts	Slot cover, end caps, hangers, and etc
Casters/Support Feet	footmaster casters, adjustable stainless steel feet, and etc
Door and Window Accessories	door hange, door handle, slot cover, end caps, and etc
Aluminum Profile Frame/Rack/Cabint	AL protection frame for equipment, machine, conveyor, worktable, warehouse, and etc

Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.)Production Lead time: it depends on customers' order quantity (30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

Drawing no	Drawing	SMM kg/m
HT-745	10.2	1.292
HT-746	30	0.786
HT-747	50	2.524
HT-749	20	0.464
HT-750	7.2 40 6.2	0.808
HT-751	60 8.2 10.4	1.616

Drawing no	Drawing	SMM kg/m
HT-752	40	1.646
HT-753	80 8.2 10.2	2.952
HT-754	45 2 7 0 C \$ 2 8.2	2.015
HT-767	45	1.522

Applications:

Mainly used for industrial production, such as automation equipment, enclosure of the skeleton and the companies according to their own customized mold machinery and equipment, such as assembly line conveyor, hoist, dispenser, testing equipment, shelves, etc., electronic machinery industries and clean room with a gain majority.

Competitive Advantage:

- 1. 12 years' experiences of manufacturing, 10 years' exporting experiences .
- 2. STRONG R&D: Help customers finalize the design, strong tool design ability, excellent pressing and surface treament technology.
- 3. Strict quality management: ISO Administration system.
- 4. 24 hours on-line communication. Professional, Patient, Flexible.
- 5. High capacity of manufaturing and wide range of products.
- 6. Be able to provide secondary fabricating.
- 7. Small order isaccepted.
- 8. Be able to provide one-stop supply solution.



⇒HENTEC Hentec Industry Co.,Ltd







Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421