

6063- T5 AA20Um Clear Aluminum Solar Panel Frame, Aluminum Solar **Mounting Frames**


Basic Information

. Place of Origin: China HENTEC . Brand Name: CA,CE Certification: Minimum Order Quantity: 1 ton

Packaging Details: Packed with EP ,Carton ,Pallet or wooden

Delivery Time: 20days • Payment Terms: T/T ,L/C

Supply Ability: 3000tons each month



Product Specification

• Product Name: Aluminum Solar Panel Frame

• Alloy: 6063,6061 • Material: Aluminium

Suface Treatment: Powder Spray Coated • Deep Process: Milling, Drilling, Cutting

• Temper:

• Highlight: aluminium solar panel frame,

anodized aluminum frame

Product Description

6063-T5 AA20Um Clear Aluminum Solar Panel Frame / Aluminum Solar Mounting Frames

Aluminum Industry Co.,Ltd is one of the largest manufacturers of extruded aluminum profiles in China. Since its establishment in 1997,the Company is dedicated to the design and manufacturing of advanced high precision extruded aluminum profiles. Through years of effort and perseverance, Hentec's product range has expanded from architectural doors, windows and curtain walls to various industrial profiles, aviation, rail transportation, automotive electronics application, communication technology etc., with its products being used all over the world.

Hentec passed the certificate of ISO9001 International Standard Quality Management System. At the same time, Hentec has instituted the enterprise tenet:"Quality first, Outstanding Management, Excellent Services and Constant Improvement." It guarantees the strategy of winning the market by producing high-quality products. In order to supply 100% high quality products, Hentec has equipped many multiple modern detection equipments. In the aspect of software, Hentec has made a set of standardized managerial system to try its best to realize scientific management, which enhances the overall profits.

Description:

Aluminum Extrusion Solar Panel Frame

Aluminum solar panel frame Material: 6063, 6061, T5/T6 Mill finish, anodized, powder coated Cut, punch, drill ISO9001, SGS, RoHS Aluminum extrusion solar panel frame

Features:

i cutuics.	
Item	Solar Frame Aluminum Alloy Extrusion Profile with Customized Color
Material	Aluminium 6000 series alloy: such as 6063 6005 6061
Temper	T4 T5 T6
length	3-6 Meter per piece, or as your inquire
Shape	Round,square,flat,hollow,oval,triangle,U-profile,L-profile,T-
	profile,customized avaiable
Thickness	General profile Thickness: 0.7 - 5.0mm
Deep process	CNC ,drilling ,milling ,cutting ,bending ,tapping ,welding ,assembling
	punching
Frame Section	30mm*35mm ,35mm*35mm ,35mm*40mm ,30mm*46mm ,35mm*45mm
Size	,35mm*50mm etc
0	



Specifications:

Item	Aluminum Extrusion Solar Panel Frame
Material	Alloy 6063, 6061 or according to customer's choice
Temper	T3, T4, T5, T6
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor),
Caridoo	electrophoresis, powder coating, PVDF coating, wood grain painting, etc.
Color	Any color based on Standard Germany RAL Mark
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.
Profile type	used as the frame of solar panel
Fabrication	1. Milling; 2. Drilling; 3. Bending; 4. Cutting.
Moulding	1. Using our moulds, free; 2. Using customer's drawing, opening mould fee
lviouiding	need to be paid.
Mould size	25*25, 35*35,30*46, 46*50, 30*25, 40*40 ,50*35,etc.We can provide
IVIOUIG SIZE	customized aluminum solar frames upon to customers' request.
FOB Port	Shanghai, etc.

Our Advantages!

- 1. 22 years' experiences of manufacturing .
- 2. STRONG R&D: Help customers finalize the design, strong tool design ability, excellent pressing and surface treament technology.
- ${\it 3.Strict\ quality\ management:\ ISO\ Administration\ system.}$
- 4. 24 hours on-line communication. Professional, Patient, Flexible.
- 5. High capacity of manufaturing and wide range of products.
- 6. Be able to provide secondary fabricating.
- 7. Small order is accepted.
- 8. Be able to provide one-stop supply solution.
- 9. Multiple payment methods: TT, LC. DP,OA.

太阳能系列

HD太阳能系列型材图

新图号	简图	线密度	新图号	Adv. 1901	sta stering
旧图号	间图	线密度 kg/m	旧图号	简图	线密度 kg/m
GT001	45.1	0.987	GT607	08	0.803
G701	45.1		G007	_30_	
GT002 铂码为GT001	\$ 10	0.530	GT008	9	0.633
G702	35		G008	25	
GT003	\$3.5	0.615	GT009	*	0.494
G795	25		G009	25	
GT004	8.5	0.466	GT010	08	0.496
G794	16		G010	1	
GT005	911.6	0.814	GT011	9	0.388
G590	50		G011		
GT006	11.6	0.681	GT012	9	0.290
G591	40		G012		

209 线密度仅供参考,出货以实际磅重为准!

HD太阳能系列型材图 国家免检

新图号	简图	60 (85 IB)	新图号	简 图	40 s81 m²
旧图号	Jel 131	线密度 kg/m	中國日	简 图	线密度 kg/m
GT013	9	0.372	GT019	0 11.5	0.665
G778	17		G599	35	
GT014		0.367	GT020	12	0.400
G594	25		G846		
GT015		0.183	GT021	9	0.884
G595			Z081	60	
GT016	32	0.248	GT022	11.6	1.228
G596			Z082	50	
GT017	38 MJ	0.534	GT023	9	0.952
G597	30		Z083	67	
GT018	11.5	0.339	GT024	\$11.6	1.073
G598			Z084	50	

线密度仅供参考,出货以实际磅重为准! 210

太阳能系列 Solar energy saries

HD太阳能系列型材图

新图号	简图	线密度	新图号	简图	éb sés sir	
旧图号	(0.57 300)	线密度 kg/m	日图号	简图	线密度 kg/m	
GT025 角码为GT026	8.5	0.653	GT031	7.6	0.548	
G895	38		G893	30		
GT026	40.2	0.732	GT032	7.6	0.279	
G896	40.2		G894			
GT027 值码为GT026	8.5	0.424	GT033	46.4	1.711	
G915	28		G913	46.4		
GT028 等码为GT026	***	0.524	GT034 角码为GT033	92	0.745	
G916	35		G914	35		
GT029	42	1.300	GT035	11.5	0.398	
G822	42		G222			
GT030 的码为GT029	35	0.567	GT036	11.5	0.754	
G823	35		G224	35		

211 线密度仅供参考,出货以实际磅重为准!


新图号	简图	线索度	新图号	简图	(4) (秦) (6)
旧图号	brid fixt	线密度 kg/m	日图号	简图	线密度 kg/m
GT037	22	0.172	GT052	40.2	0.728
G229	Ш			1	
GT038	7	0.374	GT054	***	0,509
G230	25		角码为 GT052	35	
GT039	99	0.626	GT055	38	0.537
G889	30		角形为GT052	35	
GT040	46	0.756	GT061	28	0.161
G888	50				
GT041 组码为GT026	30	0.692	GT062	25	0.340
G187	35			25	
GT042 第码为GT026	20	0.443	GT063	9	0.209
G789	35				

线密度仅供参考,出货以实际磅重为准! 212

太阳能系列 Solar energy series

HD太阳能系列型材图

新图号	简图	线密度
旧图号	间	kg/m
GT064	N 3 W	0.394
GT068	18	0.497
GT069	8.5	0.613
GT070 角码为 GT050	8 25	0.312
GT071	12.5	0.687
GT072	12.5	0.378




213 线密度仅供参考,出货以实际磅重为准!

HD太阳能系列型材图

国家免检

新图号	简图	线密度
旧图号	1150 150	线密度 kg/m
GT082	7.3	0.245
GT083	7.3	0.267
GT084	35	0.519
GT085	8	0.646
GT086	11.5	0,674
GT087	11.6	0.655



Applications:

Competitive Advantage:

In addition to high quality ,we at Hentec office offer customer complete service .Our aluminum solar frame comes with a 15 year warranty .Maintenance service is also available .



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421