Hentec Industry Co.,Ltd

CA,CE 500set

 Minimum Order Quantity: Packaging Details:


Ep paper , pallet or wooden case

Delivery Time:

20days T/T ,L/C

Payment Terms: • Supply Ability:

100 000sets each month



Product Specification

• Product Name: Fan Blade

• Item: Aluminum Extrusion Profile Of Industrial Fan

Blade

T5, T6 • Temper:

• Surface: Powder Painting

Material: Aluminium

Machining: 1. Milling; 2. Drilling; 3. Cutting

Highlight: exhaust fan blades, palm frond fan blades

Our Product Introduction

Product Description

Exhaust Aluminum Industrial Fan Blade Anodize Powder Painting Surface

Hentec Industry Co., Ltd professional at aluminum extrusion profiles, both semi and final products, such as Aluminum fan blade, LED aluminum bracket, aluminum door, aluminum window, aluminum curtain rod, aluminum guide rail, aluminum fencing and all kinds of industrial and building aluminum profile, square, round, flat, oval, angle, irregular and all types according to the customers' drawing.

Commodity:	Aluminum Industrial Fan Blade Made in China					
Shape:	Customized, Rectangular, Square, Round.etc					
Grade	6000 Series					
Species:	Window & Door Aluminum Profile/ Decoration Aluminum Profile/ Heat Sink Aluminum Profile/ Glass Wall Aluminum Profile/ Transport Aluminum Profile/ Industrial Aluminum Profile					
Color:	White/Gray/Gold/Black/Silver/Brown.etc					
Alloy:	6063/6063A/6061					
Temper :	T5 T6					
Standard:	EN755; DIN; ASTMB221; GB5237-2008 .etc.					
Certification:	SONCAP/ ISO/ CIQ/ TUV/ ROHS.etc					
Surface treatment:	Spraying/Wooden-Grain/Oxidation/Electrophoresis.etc					
Material:	Aluminum Alloy 6063					
Payment term	L/C,T/T					
Packing standard	Each aluminium profile packed in protection plastic film Each bundle profiles wrapped up by compound paper/shrink film/pearl cotton Packed according to customer request					
MOQ	1 ton for each item					

Specifications:

- Primary Technical Data
- 1) Chemical composition

2) Mechanical property

2) Wednamear property								
Alloy	Temper	Tensile strength	Yield strengt	h Elongation				
	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%				
6063	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%				
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%				

3. Surface Treatment of Sections

	(µm),not di	minish than	acid-resistant			abrasion re sistance
	(Min-	nart film	CASS			
(Class)	average fil m thickness)		(h)	Class	(S)	(f, g /μm)
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

Competitive Advantage:

- 1. High hardness, hard aluminum series.
- 2. Fair corrosion resistance. Heat treatable
- 3. Good workability. Good appearance
- 4. High quality and reasonable price.
- 5. Our product is your best choice.



Our product have been exported to Europe, South Africa, Algeria, Angola, Chile, Egypt, Ethiopia, Ghana, Libya, Nepal, Nigeria, Philippines, Thailand, Tanzania, South Africa, etc. There are ready moulds for aboved countries, and easy for clients to placed order. On the other hand, you can send us your sample or drawing, we will surely make exactly what you want after discussing with each other.

Our performance is better than the ordinary ones. Excellent metal colors and strong endurance, good performance in heatresistance, radio resistance, anti-corrosion and anti-cyclone, etc.

Our factory focus on making quality aluminum profiles and considerate service for each client. We will be your another best choice in life and hope you will never stop enjoying the benefits.

Tag: metal fan blades

.Aluminum fan blades

axial fan blade





+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421