Hentec Industry Co.,Ltd aluminumextrusion-profiles.com

Customized Packing Aluminum Extrusions For Electronics / Aluminum Box

Basic Information

Place of Origin: China
Brand Name: HENTEC
Certification: CA, CE
Minimum Order Quantity: 500 pcs

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20daysPayment Terms: T/T ,L/C

• Supply Ability: 80 000ton anually



Product Specification

Product Name: Aluminum Enclosure
Alloy: 6063,6061,6005
Material: Aluminum

• Suface Treatment: Alodine, Anodized , Electrophoretic

Coated, Powder Spray Coated

• Deep Process: Milling, Drilling, Bending, Cutting

• Temper: T5, T6, T66

Highlight: extruded aluminium profiles,

aluminum extrusion profiles

Product Description

Customized 6063 / 6061 / 6005 Aluminum Extrusions For Electronics / Aluminum Box

Item	Aluminum Enclosure						
Minimum Order	delivery fees will be on the customer.						
Production Capacity	12,000MT/year						
Sample Lead time	15-18 working days, including 7-10days for making tooling if necessary.						
Production lead time	15~25 working days.						
	Standard packing: plastic sheet wrapped for each profile its surfaces, kraft paper wrapped in bundles.						
Packing Method	Special packing: wooden cases/frames/pallets						
racking welliou	3. Bundles or boxes with wooden bars.						
	4. EPE + carton boxes.						
	5. Customized packing methods are welcomed.						
Loading Weight	ng Weight 20'GP for 13tons, 40'GP for 20tons. LCL shipment will be acceptable.						
Payment term:	Parts: 30% upon order confirmation and balance before delivery by T/T.						
rayineni tenii.	Other payment terms can be discussed.						
Shipping Term:	ExW, FOB, CIF or others can be discussed.						

Warranty

- 1.GB5237-2008 equal to EN12020-1.2(2001);
- 2.GB6892-2006 equal to DIN 1725
- 3. Within 15 years without color changing, all life without surface peeling off;

Moulding

we open the new die within 10days

Applications:

Industry Aluminum profile used in cars, trains machinery, electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1. Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0003	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

2.Specifications:

Excellent material for smooth and subtle edges.

Elegant appearance.

Surface treatment: colorful anodized ,powder coated , electrostatic ,PVDF .

Suitable for constructions and other industrial purposes.

Customized surface finishes are welcome.

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4) Good performance, product warranty for 15 years.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421