




Super Extruded Aluminum Enclosure Aluminum Heater / Heat Exchanger Shell

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HENTEC ,KUNTAI
- Minimum Order Quantity: 500KG
- Packaging Details: The product is usually packaged for 50Kg or 1000Kg, the package can also be requested by the user.



Product Specification

- Material: Aluminium
- Temper: 6063 T5
- Surface: Anodizing / Powder Painting
- Color: Silver , Black ,Customized
- Water Proof: Water Proof
- Logo: Silk Screen
- Highlight: **aluminum electrical enclosures,
extruded aluminum housing**

Product Description

6060 / 6061 Aluminum Electrical Shell / Aluminum Heater / Heat Exchanger

Brand name	Hentec
Aluminum products	Aluminum profile,Thermal break profile,Aluminum bar,Aluminum tube/pipe, Aluminum sheet,Aluminum heat sink section,Aluminum curtain wall,Aluminum handle,Aluminum frame,Aluminum rail,Aluminum accessory
Thickness	Mill finish profile thickness:0.3mm-3mm
	Anodizing film thickness:over10µm
	Power coating film thickness:over13µ
Length	General length:0-6m
	Meet customers requirement
Shape	Round,Flat,Square,Oval,Triangle,Pentagon, Hexagon,T,L, or customized requirement available
Surface treatment	Powder coating,Anodizing,Sand blasting, wood grain,electrophoresis, polishing,PVDF,etc
Deep process	CNC,Drilling,Milling,Bending,Cutting,Welding,etc
Colour	Silver, bronze,Black,Champagne,gold,White,Grey,Green,etc
Temper	AL6063
Application	Industry aluminum profile parts,consumer products,home electric appliances, luggage,Hairdressing supplies,Furniture,Kitchen cabinet door,LED light,ceiling,machine,fences,Construction,,etc
Lead time	7-15 days after the sample is confirmed by buyer
Mould fees	Free of charge if use existing mould
	Customer OEMDesign, Charged by the mould dimension
Packing details	Packed with plastic protective film to protect each piece inside
	Wrap to be bundles by waterproof craft paper
	Packing ways according to customer' design of the profile.

Order,payment,terms,shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days(15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.)Production Lead time: it depends on customers' order quantity (30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling:100% prepaid by T/T.
- 5, Parts:30% upon order confirmation and balance before delivery by T/T

Applications:

Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Competitive Advantage:

- Reliable quality (ISO9001certified)
- Competitive prices with short lead-time for both tooling and parts, because we do everything in-house.
- Effective and strong technical support and excellent sales services.
- Sufficient production capacity .
- Efficient communication (48-hour quote lead time)
- Compliant with RoHS test.

** Pure 99.7% aluminum materials without any scrap used

**OEM welcome, we can design and cut die to meet customer's special demand

** Wonderful surface treatment, we can meet customers required on surface

** Strictly quality control process assured higher quality.

** Packing safety and convenient.



FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.

Our main products including :

- a). Aluminium profiles for architecture
- b). Aluminium profile for doors and window
- c). Aluminium profile for curtain wall
- d). Aluminium profiles for louver / shutter
- e). Aluminium profile for handrail and barrier
- f). Aluminium profile for decorations
- g). Aluminum profile with thermal barrier strips
- h). Aluminium tube and pipe "U"/ "I"/"L"/"O" profile
- i). Aluminium profile for Kitchen Cabinets
- j). Aluminum profile for Solar panel frame
- k). PVDF/heat transfer wooden grain aluminium profile
- l). Marble color aluminium profile
- m). CNC machined aluminium profilesaluminium profile
- n). Anodized, powder coating, electrophoresis, mirror finish, brushed aluminium profiles for furnitures
- p). Differernt kinds of extrusion profiles for construsion / decoration
- q). Aluminium profiles for industrial (Aluminum Wall/Deck panel , Aluminum I-type profile , Aluminium U-type profile , Aluminium V-type profile , Aluminium T profile, Aluminum End panel , aluminium beam , aluminium Slab length , Aluminium Joint bar , Aluminium tubes and so on)



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421