### **Basic Information**

. Place of Origin: China **HENTEC** . Brand Name: CA,CE Certification: Minimum Order Quantity: 500set

Packaging Details: Ep paper , pallet or wooden case

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000sets each month



## **Product Specification**

• Product Name: Fan Blade

• Item: Aluminum Extrusion Profile Of Industrial Fan

T5, T6 • Temper: • Surface: Anodize Material: Aluminium

Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting • Highlight: replacement fan blade, palm frond fan blades

Our Product Introduction

### **Product Description**

#### Aluminum Industrial Fan Blade / Anodize Surface Exhaust Fan Blades / 6063 - T5

Hentec Industry Co., Ltd is one China Manufactory, professional at aluminum extrusion profiles, both semi and final products, such as Aluminum fan blade, LED aluminum bracket, aluminum door, aluminum window, aluminum curtain rod, aluminum guide rail, aluminum fencing and all kinds of industrial and building aluminum profile, square, round, flat, oval, angle, irregular and all types according to the customers' drawing.

# Description:

- 1. Description: Aluminum Fan Blade Profile
- 2. Alloy temper: 6060/6063-T6/T5;
- 3. Standard: EN755, ASTMB221, DIN Standard
- 4. Surface treatment: Mill finishes; anodized; Powder coated, wooden grain, polished, brushed.
- 5. Application: Construction, Industry etc.
- 6. Advantage:
- 1) Pure 99.7% aluminum materials without any scrap used
- 2) OEM welcome, we can design and cut die to meet customer's special demand
- 3) Wonderful surface treatment, we can meet customers required on surface
- 4) Strictly quality control process assured higher quality.
- 5) Packing safety and convenient.

### Specifications:

- 1. Primary Technical Data
- 1) Chemical composition

#### 2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

#### 3. Surface Treatment of Sections

	(µm),not di	minish than	acid-resistant			abrasion re sistance
(Class)	(Min-	(Min- part film thickness)	CASS			
	average fil m thickness)		(h)	Class	(S)	(f, g /μm)
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

### Competitive Advantage:

- 1. High hardness, hard aluminum series.
- 2. Fair corrosion resistance. Heat treatable
- 3. Good workability. Good appearance
- 4. High quality and reasonable price.
- 5. Our product is your best choice.



Our product have been exported to Europe, South Africa, Algeria, Angola, Chile, Egypt, Ethiopia, Ghana, Libya, Nepal, Nigeria, Philippines, Thailand, Tanzania, South Africa, etc. There are ready moulds for aboved countries, and easy for clients to placed order. On the other hand, you can send us your sample or drawing, we will surely make exactly what you want after discussing with each other.

Our performance is better than the ordinary ones. Excellent metal colors and strong endurance, good performance in heatresistance, radio resistance, anti-corrosion and anti-cyclone, etc.

Our factory focus on making quality aluminum profiles and considerate service for each client. We will be your another best choice in life and hope you will never stop enjoying the benefits.

Tag:

metal fan blades

,Aluminum fan blades

axial fan blade

# **→ HENTEC** Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421