Customised Sections Construction Aluminum Profile 6063 / 6061 / 6060 / 6082

Basic Information

• Place of Origin: China

Brand Name: HENTEC / KUNTAI

Certification: CA ,CEMinimum Order Quantity: 1 ton

• Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20daysPayment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month



Product Specification

Product Name: Aluminum Extrusion Profile

Alloy: 6063,6061,6005Material: Aluminum

• Suface Treatment: Mill Finished, Anodized, etc

• Temper: T4, T5, T6, T66

Application: Buildings,commercial,industrial
 Highlight: extruded aluminum shapes, aluminium profile extrusion



Product Description

Customized Sections / Construsion Aluminum Profile , 6063 / 6061 / 6060 / 6082

Our 4500T grade extrusion machine enable us to produce any section within 400*150mm and ϕ 360. Your drawings are definitely welcomed.

Price indication: basic aluminium ingot, extrusion cost, surfacing cost and extra. We also supply fully assembled premium grade window&door systems

- 1. Alloy:6063,6061,6005 or according to customer's choice
- 2. Material:Aluminum
- 3. Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .
- 4. Deep process: Milling, Drilling, Bending, Cutting

Description:

Material	Aluminum alloy 6063,6061,6005,6060,6082					
Temper	T4,T5,T6,T66					
Surface	Anodized Electrophoresis Powder coating PVDF coating Wood grain painting Brushed					
Color	Silver White Bronze Gold Black Champagne Or customized					
Film Thickness	Anodized:12-25 µm Powder coating:40-80 µm					
Length	≤ 7.2m, according to customer's request					
Standard	GB,JIS,AAMA,BS,EN,AS/NZS,AA					
Certification	ISO9001,ISO14000					
Production Capacity	5000 tons monthly, 300000 annually					

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1. Primary Technical Data

1) Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥ 8%

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminium profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4) Good performance, product warranty for 15 years.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421