



Aluminum Cover / Industrial Aluminium Profile For Electric Wall Mounted Baseboard Heater

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com


Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063,6061
- Material: Aluminum
- Surface Treatment: Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6
- Highlight: **aluminium door frame,
aluminium extruded profiles**



Product Description

Aluminum Cover / Industrial Aluminium Profile For Electric Wall Mounted Baseboard Heater

We Supply The Luxury Aluminum Shell



Product Name	Warmer Cover / Heater Shell / Industrial Aluminium Profile / Customized Aluminium Extrusions For Heater
Alloy	6063, 6061, 6082, 6060, 6005
Length	Longest 8m (or upon clients' requests measurement the length).
Surface treatment	Powder coating, anodize oxidation, electrophoresis coating
Execute standard	ASTM B221, EN755, GB5237.
Qualification	ISO 9001: 2000, ISO14000
Quality control	100 quality inspectors.
Equipment	Extrusion Machine , Anodizing Line , Powder Coating Line , CNC Machine

Applications:

Aluminum profile used in warmers , heaters, cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Competitive Advantage:

- Reliable quality (ISO9001: 2008 certified)
- Competitive prices with short lead-time for both tooling and parts, because we do everything in-house.
- Effective and strong technical support and excellent sales services.
- Sufficient production capacity (only 65% occupied).
- Efficient communication (48-hour quote lead time)
- Compliant with RoHS test.



FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.



+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421