



Powder Painted Profile Aluminum Extrusion For Multi Function Baseboard Heater

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6063,6061
- Material: Aluminum
- Surface Treatment: Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6
- Highlight: **aluminum extrusion profiles, aluminium extruded profiles**



Product Description

Powder Painted Profile Aluminum Extrusion For Multi Function Baseboard Heater

Product Description	
Item	Powder Painted Industrial Aluminium Profile For Multi-Function Electric Wall Mounted Baseboard Heater
Material	6063/6005/6061
Temper	T4 T5 T6
Size/Thickness	General aluminum profiles thickness from 0.8-4.0mm, length from 3m-6.4m or customized available; Anodize protection Thickness from 8-20um, powder coating from 40-100um.
Shape	Customized, rectangular, round, square
Application	Electrical Cover / Shell
Surface treatment	Powdering coating
Colors	Anodize, powder coating and customized available
MOQ	500 kgs for each item
Packing Details	Packing with plastic protective film inside; Plastic film or craft paper outside
FOB Port	Shanghai
Payment	T/T, L/C
Settlement term	Final actual weight or theory weight .

We Supply The Luxury Aluminum Shell



Applications:

Aluminum profile used in warmers , heaters, cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Competitive Advantage:

- Reliable quality (ISO9001: 2008 certified)
- Competitive prices with short lead-time for both tooling and parts, because we do everything in-house.
- Effective and strong technical support and excellent sales services.
- Sufficient production capacity (only 65% occupied).
- Efficient communication (48-hour quote lead time)
- Compliant with RoHS test.



FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.


Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.

 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421