Aluminum Shell / Industrial Aluminium Profile , Aluminium System Profile

Basic Information

Place of Origin: China

Brand Name: Hentec Kuntai

• Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20daysPayment Terms: T/T ,L/C

Supply Ability: 100 000ton each month



Product Specification

Product Name: Industrial Aluminium Profile

Alloy: 6063,6061Material: Aluminum

• Suface Treatment: Anodized ,Electrophoretic Coated,Powder

Spray Coated

• Deep Process: Milling, Drilling, Bending, Cutting

• Temper: T4, T5, T6

 Highlight: aluminum extrusion profiles, aluminium extruded profiles



Product Description

Aluminum Shell / Industrial Aluminium Profile, Aluminium System Profile

We Supply The Luxury Aluminum Shell



Product Name	Warmer Cover / Heater Shell / Industrial Aluminium Profile / Customized Aluminium Extrusions For Heater
Alloy	6063, 6061,6082, 6060, 6005
Length	Longest 8m (or upon clients' requests measurement the length).
Surface treatment	Powder coating, anodize oxidation, electrophoresis coating
Execute standard	ASTM B221, EN755, GB5237.
Qualification	ISO 9001: 2000, ISO14000
Quality control	100 quality inspectors.
Equipment	Extrusion Machine , Anodizing Line , Powder Coating Line , CNC Machine

Applications:

Except the standard profiles, we offers service fromtooling design for customized project, extrusion production, assembling, cutting, drill threading till packaging, give assistance for our customer to develop the new style and functional products.

Welcome for customized Extrusion Aluminum for multiple industrial application, like window & doors, heat sink radio, building systems, precision tubing, flat extrusion profiles , complex extrusion profiles, Radiator, Assembly line, Frame system, Elevator, etc.

Competitive Advantage:

- Reliable quality (ISO9001: 2008 certified)
- Competitive prices with short lead-time for both tooling and parts, because we do everything in-house.
- Effective and strong technical support and excellent sales services.
- Sufficient production capacity (only 65% occupied).
- Efficient communication (48-hour quote lead time)
- Compliant with RoHS test.



FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um? A:Our normal thickness is about 10 um. Yes, we can do 15 um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

- A:(1).Powder:Akzo Noble Interpon D1010.
- (2). Wood grain film: Italian Menphis.
- (3). Standard complied: American AAMA Standard. 2603
- (4).UV test:1000 hours.
- (5). Salt spraying test:1000 hours.
- (6). Normal weather: 10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification. Our standard is DIN, AAMA, AS/NZS, China GB.

Q6:What's the delivery time for samples and mass production?

- A:(1).2-3 weeks to make the new moulds and make free samples.
- (2).3-4 weeks after receipt of deposit and confirmation of the order.

HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com