



## CA CE Anodized Aluminium Window Extrusions With Termal Strip , Customerized

Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

### Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: EP Paper ,kraft and pallet
- Delivery Time: 20days
- Payment Terms: T/T or L/C
- Supply Ability: 100 000 ton each month



### Product Specification

- Material: Aluminum Alloy
- Temper: T5 / T6
- Alloy: 6063 / 6061 / 6060
- Surface: Powder Painted
- Color: Customerized
- Standard: EN755, ASTM B221, DIN Standard
- Highlight: **aluminum extrusion profiles,  
extruded aluminium profiles**



## Product Description

### CA CE Anodized Aluminium Window Extrusions With Termal Strip , Customerized

Hentec Industry Co.,Ltd is located in Jiangyin City, the famous manufacturing center of aluminum profiles in China. Our aluminium profiles are exported to many countries: South Africa, UK , Germany , Israel, Ecuador,Colombia,Chile and so on.

We offer our aluminium profiles in several types of surface finishing including anodized, powder coated, wood coated ,electrophoresis and so on.

We are looking forward to building long-term and mutually beneficial business relations with global customers

#### Description:


1. Window and Door Aluminum profile for European market
2. Simple and easy for installation.
3. Surface Finish: Anodized, Powder Coating or as your requested
4. Good wear and corrosion resistance
5. Smoothness, attractive and elegant looking to meet your preferences.
6. We provide One Package Service: Extruding,Milling, Drilling, Precise Cutting,Special surface treatment and packing,etc

1	Business type	Manufacturer
2	Standard:	GB 5237-2008
3	Product series	Aluminum profile for building material and industrial material
4	Price	Based on Aluminum Ingot price + processing Fee
5	Payment term	T/T, L/C at sight
6	Surface treatment	Anodizing, Powder coating, electrophoresis, wooden finish
7	Specification	A. Alloy: 6063, 6060, 6061, 6005
		B. State: T5/T6
		C. Length: 1m-7m
		D. Normal Anodizing thickness: 8-12 micro
		E. Normal powder coating thickness: 60-100 micro
		F. Tensile strength: $\geq 16$ mpa
		G. Yield strength: $\geq 110$ mpa
		H. Extensibility: $\geq 8\%$
		I. Hardness(HW): $\geq 8$
8	Packing	Kraft paper, EPE Fram, Shrink film, Composite paper
9	MOQ	1ton
10	Delivery time	15-30 days if the mold is ready



#### Window and Door's Design

We can DIY any type of aluminium windows and doors as your request, and our popular types are as below:



#### Competitive Advantage:

1. Profession production workshop for extrusion and colored profile manufacturing, including we own 4000 tons extrusion machine, automatic vertical electrophoresis production lines.
2. Strict quality control and inspection before good delivery.
3. Production standards: GB5237-2008 or other International standards
4. With 17 years' experience, our factory is well recognized by clients and enjoys a good reputation, among overseas markets.
5. Provincial-level R&D team .





+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421