HENTEC **Hentec Industry Co.,Ltd** aluminumextrusion-profiles.com

Anodized, Drawbench Industrial Aluminium Profile Cylinder Shell With CNC **Machining**


Basic Information

. Place of Origin: China HTS-028 . Brand Name: SGS · Certification: Minimum Order Quantity:

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20days T/T ,L/C • Payment Terms:

Supply Ability: 100 000ton each month



Product Specification

• Product Name: Industrial Aluminium Profile

• Alloy: 6063,6061,6005 • Material: Aluminum

Suface Treatment: Fluorocarbon Powder Spray Coated /PVDF

Paint, Drawbench, Steel Polished

• Deep Process: Milling, Drilling, Bending, Cutting

T3, T4, T5, T6 • Temper:

· Highlight: aluminium door frame, aluminium extruded profiles

Product Description

Anodized, Drawbench Industrial Aluminium Profile Cylinder Shell With CNC Machining

- 1 surface treatment: mill finish, powder coating, anodized, drawbench and so on.
- 2 various in size, shape, style and so on
- 3 High quality: China national standard (ISO9001:2000 certificate)
- 4 material:6061 6063 6005 or different aluminum alloy.

Description:

Item	Aluminum extruded cylinder shell with CNC machining
Material	Alloy 6063, 6061 or according to customer's choice
Temper	T3, T4, T5, T6
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor),
Carrace	electrophoresis, powder coating, PVDF coating, wood grain painting, etc.
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.
Usage	Widely used in the instruction and electronic areas
Machining	High-precision machining available upon request (lathe/milling/CNC
Iviaciming	machining/polishing/punching/drilling/taping, etc.)
Moulding	1. Using our moulds, free; 2. Using customer's drawing, opening mould fee
livioulding	need to be paid .
Certificate	ISO14001:2004, ISO9001:2000
FOB Port	Shanghai, etc.

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1.Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

<u> </u>	<u>'</u>			
Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0000	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

新田号 阿 图 线密度
G0002
GQ002 (0.05 5 16.074 GQ008 GQ008 S1.151 GQ000 GQ
GQ002 GQ008 GD5 F S1.131 GQ007 GQ007 GQ009 GD5 S
com com com
G676 107 G169 160
GQ004 (n.th.) E 24.530 GQ010 (9.15) E 61.120
G179 107 G434 170
GQ005 (35 th) 8 30.877 GQ011 (35 th) 9 58.323
G412 128 G249 170
G0006 (3/5) 33.144 G0000 (3/5) 7 5.650
G6// 178 G852
Activi D. Activi D.
M M M M M M M M M M
新閏号 幅 图 後寄疫 新田号 領 图 线寄皮
新国号 简 图 线寄疫 所图号 简 图 线密度 kg/m GQ824
新国号 简 国 线密度 所国号 简 国 线密度 1月回号 简 国 线密度 1月回号 第 3.422
新国号 阿 国 進寄度 所国号 阿
新田号 筒 田 线密度 新田号 筒 国 线密度 接受加 日田号 60 国
新聞号 简 图 线密度
新聞号 简 图 线密度
新田号 简 图 线密度 1日間号 简 图 线密度 1日間号 6日 11.020 GQ940 G
新田号 筒田 株容度
新田号 简 图 线密度
新田号 简 图 线密度

- 1.Alloy:6063,6061,6005 or according to customer's choice
- 2.Material:Aluminum
- 3.Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .
- 4. Deep process: Milling, Drilling, Bending, Cutting.
- 5.Application:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

6.Color:clear, satin, bronze, black, golden, silver, other multicolor

7.Temper: T4, T5, T6, T66

Competitive Advantage:

- 1) Engineering design and support.
- $2) A luminium\ profiles\ deeply\ processing: cutting, punching, drilling, milling, and\ fabricating.$
- $3) High \ Quality \ system, \ strictly \ inspection \ during \ production \ and \ whole \ inspection \ before \ package.$
- 4) Good performance, product warranty for 15 years.



→ HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



@ aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421