# Customized Industrial 6063 Aluminium Extruded Profile With Milling /

# **Drilling**

#### **Basic Information**

. Place of Origin: China НТ . Brand Name:

CA ,CE ,ISO14001:2004, ISO9001:2000 · Certification:

HTL002 Model Number: • Minimum Order Quantity: 1 ton

Ep paper ,kraft ,pallet Packaging Details:

. Delivery Time: 20days • Payment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month



## **Product Specification**

• Product Name: Industrial Aluminium Profile

• Alloy: 6063,6061,6005 • Material: Aluminum

Mill Finished, Anodized , Electrophoretic Suface Treatment:

Coated, Powder Spray

Coated Drawbench, Steel Polished

. Deep Process: Milling, Drilling, Bending, Cutting. . Temper: T3, T4, T5, T6

· Highlight: aluminium door frame,

aluminium extruded profiles



# More Images





#### **Product Description**

#### Customized Industrial 6063 Aluminium Extruded Profile With Milling / Drilling

1.Alloy:6063,6061,6005 2.Material:Aluminum 3.Temper: T4, T5, T6, T66

4.Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .

5.Deep process: Milling, Drilling, Bending, Cutting.

6.Application: Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

7. Color:clear, satin, bronze, black, golden, silver, other multicolor

#### Description:

| Item         | Customized Aluminum Profile For Elecro-Solar Radiation Pool & Spa<br>Heater   |
|--------------|---|
| Material     | Alloy 6063, 6061,6005 or according to customer's choice   |
| Temper       | T3, T4, T5, T6  |
| Surface      | Anodize (clear, satin, bronze, black, golden, silver, other multicolor), electrophoresis, powder coating, PVDF coating, wood grain painting, etc. |
| MOQ          | 1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.  |
| Profile type | Industry Aluminum profile used in cars, trains machinery ,trailers ,electronics, medical and other industrial filed .                             |
| Machining    | High-precision machining 1. milling; 2. Drilling; 3. Bending; 4. Cutting  |
| Moulding     | 1. Using our moulds, free; 2. Using customer's drawing, mould fee need to be paid .   |
| Standard     | GB/T5237-2004, GB/T6892-2000  |
| FOB Port     | Shanghai, etc.  |



#### Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



### Specifications:

#### 1.Primary Technical Data

#### 1)Chemical composition

| Alloy | Si      | Fe      | Cu       | Mn   | Mg       | Cr        | Zn   | Ti   | Impurity | Al   |
|-------|---------|---------|----------|------|----------|-----------|------|------|----------|------|
| 6063  | 0.2-0.6 | 0.35    | 0.1      | 0.1  | 0.45-0.9 | 0.1       | 0.1  | 0.1  | 0.15     | Rest |
| 6061  | 0.4-0.8 | 0.7     | 0.15-0.4 | 0.15 | 0.8-1.2  | 0.04-0.35 | 0.25 | 0.15 | 0.15     | Rest |
| 6060  | 0.3-0.6 | 0.1-0.3 | 0.1      | 0.1  | 0.35-0.6 | -         | 0.15 | 0.1  | 0.15     | Rest |
| 6005  | 0.6-0.9 | 0.35    | 0.1      | 0.1  | 0.40-0.6 | 0.1       | 0.1  | 0.1  | 0.15     | Rest |

#### 2)Mechanical property

| Alloy | Temper | Tensile strength | Yield strength | Elongation |
|-------|--------|------------------|----------------|------------|
| 6063  | T5     | ≥ 160Mpa         | ≥ 110Mpa       | ≥ 8%       |
| 0003  | T6     | ≥ 205Mpa         | ≥ 180Mpa       | ≥ 8%       |
| 6061  | T6     | ≥ 265Mpa         | ≥ 245Mpa       | ≥ 8%       |

#### Competitive Advantage:

- 1)Engineering design and support.
  2)Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
  3)High Quality system, strictly inspection during production and whole inspection before package.
  4)Good performance, product warranty for 15 years.



# **⇒HENTEC** Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421