



CE Silvery Anodized Aluminum Heatsink Extrusion Profiles For Led Lamp

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Product Name: Aluminum Heatsink Extrusion Profiles
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting
- Temper: T4, T5, T6 ,T66
- Highlight: **aluminium heatsink extrusion,
aluminium extrusion heat sink profiles**



Product Description

Silvery Anodized Aluminum Heat Sink Extrusion Profiles For Led Light

Our company is specialized in different kinds of products which can meet your multifarious demands. We adhere to the management principles of "quality first, customer first and credit-based" since the establishment of the company and always do our best to satisfy potential needs of our customers. Our company is sincerely willing to cooperate with enterprises from all over the world in order to realize a win-win situation since the trend of economic globalization has developed with an irresistible force.

Detailed specifications:

1. Good quality in material;
2. Excellent surface finish
3. Competitive price

Sunflower heatsink

1. Anodizing;
2. Material: Aluminum
3. Mechanical Finishing Equipment
4. Brushing...

Finish: Any surface can be customized...

Aluminum extrusions

1. Alloy: 6063/6061 T5/T6 are available
2. Finish: Anodized, powder coating, brush, mill finish available
3. Procedure: Precisely Cutting, milling, drilling, punching, CNC machining are all available.
4. Price and produce according to drawing and sample.
5. Rohs and ISO 9001 Certificates.
6. Any OEM is welcome...

Applications:

Aluminum heat sink is widely used on Machines , cars , lighter ...

Specifications:

1. Primary Technical Data

1)Chemical composition


Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%



Hentec Industry Co.,Ltd



Competitive Advantage:

Precision parts strictly according to customer&request drawing,packing and quality request


The most advanced CMM inspector to ensure the quality

Experienced technology engineers and well trained workers

Fast and timely delivery. Speedily&professional service

Give customer professional suggestion while in the process of customer designing to save costs.

Quality assurance in accordance with ISO9001:2008





+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421