



6061 6005 T Slot Aluminum Extrusion , T Slot Aluminum Framing OEM Welcome

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: Hentec
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 5 000 ton each month



Product Specification

- Product Name: Industrial Aluminium Profile
- Alloy: 6061,6005
- Material: Aluminum
- Surface Treatment: Electrophoretic Coated,Powder Spray Coated
- Deep Process: Bending,Cutting
- Temper: T6 ,T66
- Highlight: **modular aluminium profile system,
aluminium extrusion frame system**













Product Description

Assembly Linve Coneyor T Slotted Aluminum Extrusion Framing For Workbench / Working Table

Product Details

Item	Aluminium Extrusion Profiles		
Material	6000 series Aluminium T4, T5, T6		
Size / Thickness	1.General profiles thickness from 0.8 to 5.0mm, length from 3m-6m or customized available 2.Anodize protection film thickness from 8~25 um 3.Powder coating from 40 ~ 120 um.		
Shape	square, round, t shaped, rectangular, customized		
Surface treatment	Mill finish,Anodizing,electrophoresis,powder coating,PVDF coating, wood transfer,polishing,brushing etc.		
Colors	silver , black , blue, wood color , RAL powder coating color and so on		
MOQ	500kgs for each item		
FOB Port	Shanghai		
payment terms	T/T 30% for deposit, balance before shipping.		
settlement term	Charge by final actual weight or by drawing theoretical weight.		
Certificate and Standard	CQM, SGS, CE, BV, SONCAP / GB, ISO, JIS, AS, NZS, QUALICOAT, QUOLANOD available		
Packing and shipment			
Packing	1.Plastic film& kraft paper packing. 2.Plastic bag packing. 3.Carton packing\$ plywood. 4.Plastic film& pallet.		
shipment	1.By Sea 2.By Air		
Production Capacity			
Max production capacity(tons/year)	150000		
Extrusion equipment	Max	Min	Quantity
	4000 Tonnage	660 Tonnage	22 sets
CNC Machine	32 sets		
Punching Machine	27 sets		
12 meter long CNC Machine	4set		
Drilling Machine	10sets		
Anodized Line	2 sets		
Powder coated Line	2 sets		
Imitated Wooden Line	1 set		
electrophoresis line	1 set		

Drawing no	Drawing	SMM kg/m
HT-745		1.292
HT-746		0.786
HT-747		2.524
HT-749		0.464
HT-750		0.808
HT-751		1.616

Drawing no	Drawing	SMM kg/m
HT-752		1.646
HT-753		2.952
HT-754		2.015
HT-767		1.522

Applications:

Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.

Competitive Advantage:

1. 12 years' experiences of manufacturing, 10 years' exporting experiences .
2. STRONG R&D: Help customers finalize the design, strong tool design ability, excellent pressing and surface treatment technology.
3. Strict quality management: ISO Administration system.
4. 24 hours on-line communication. Professional, Patient, Flexible.
5. High capacity of manufacturing and wide range of products.
6. Be able to provide secondary fabricating.
7. Small order is accepted.
8. Be able to provide one-stop supply solution.



HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421