



## Silver Anodized Ceiling Fan Blades Aluminium Extruded Profiles With Cutting / Drilling

### Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

#### Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: ROHS
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



#### Product Specification

- Product Name: Industrial Fan Blade
- Item: Industrial Fan Blade Profile
- Temper: T5, T6
- Surface: Silvery Anodize
- Material: Aluminum
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting
- Highlight: exhaust fan blades, palm frond fan blades



## Product Description

### Silvery Anodized Ceiling Fan Blades Aluminium Extruded Profiles With Cutting / Drilling

Hentec Industry Co., Ltd is one China Manufactory, professional at aluminum extrusion profiles, both semi and final products, such as Aluminum fan blade .

Hentec can design and manufacture custom industrial aluminum extrusion fan blade profile according to your specific performance or design requirements , with our expertise and experience in fan blade profile design, tooling, prototypes, testing, balancing and large scale production.

**Our 4500T grade extrusion machine enable us to produce any section within 400\*150mm and  $\phi 360$ .  
Your drawings are definitely welcomed.**

#### Description

Product Name	Aluminum Fan Blade
Material	6063 aluminium alloy
Temper	T4 T5 T6
Surface treatment	Mill finish, powder coating, anodizing, wooden grain coating, polishing, eletrophoresis, PVDF, sanding blasting, etc.
Size	As customer's special request
Slot width	6MM,8MM,10MM
Color	Natural silver, can be customised.
Surface	Mill finish, Anodizing, Sand Blasting, Powder coating, etc.
Deep processing	Cutting, Drilling, Treading, Bending, etc.
Application	Building, Industry, Machinery
Certification	ISO9001

#### Specifications:

##### 1. Primary Technical Data

###### 1) Chemical composition

###### 2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	$\geq 160\text{Mpa}$	$\geq 110\text{Mpa}$	$\geq 8\%$
	T6	$\geq 205\text{Mpa}$	$\geq 180\text{Mpa}$	$\geq 8\%$
6061	T6	$\geq 265\text{Mpa}$	$\geq 245\text{Mpa}$	$\geq 8\%$

##### 3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion resistance
	(Min-average film thickness)	(Min-part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	$\geq 9$	$\geq 50$	$\geq 300$
AA15	15	12	32	$\geq 9$	$\geq 75$	$\geq 300$
AA20	20	16	56	$\geq 9$	$\geq 100$	$\geq 300$
AA25	25	20	72	$\geq 9$	$\geq 125$	$\geq 300$

#### Competitive Advantage:

- 1) Pure 99.7% aluminum materials without any scrap used
- 2) OEM welcome, we can design and cut die to meet customer's special demand
- 3) Wonderful surface treatment, we can meet customers required on surface
- 4) Strictly quality control process assured higher quality.
- 5) Hard alloy longer life span
- 6) Packing safety and convenient.



**Tag :**


**ceiling fan blades**

**,Aluminum fan blades**

**axial fan blade**

 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 [aluminum@hentec.com.cn](mailto:aluminum@hentec.com.cn)

 [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421