

Alloy 6061 - T6 Golden , Silver Auto Car Aluminium Profiles , Industrial Aluminum Profile

Basic Information

- Place of Origin:
- Brand Name: HT
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet

China

- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability:



Product Specification

- Product Name:
- Alloy:
- Suface Treatment:
- Material:
- Deep Process:
- Temper:
- Highlight:

Aluminum Profile 6063,6061,6005 Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated Aluminum Milling, Drilling, Bending,Cutting T3, T4, T5, T6

structural aluminum extrusions, structural aluminium extrusions

100 000ton each month

Product Description

Alloy 6061 - T6 Golden , Silver Auto Car Aluminium Profiles , Industrial Aluminum Profile

Material:Aluminum Temper: T4, T5, T6, T66 Color:clear, satin, bronze, black, golden, silver, other multicolor Deep process:Milling, Drilling, Bending,Cutting

1.Alloy :6063,6061,6005 or according to customer's choice

2.Material:Aluminum

3.Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .

4.Deep process: Milling, Drilling, Bending, Cutting.

5.Application:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

6.Color:clear, satin, bronze, black, golden, silver, other multicolor 7.Temper: T4, T5, T6, T66

Description:

Item	Aluminum Extrusion bar				
Material	Alloy 6063, 6061 or according to customer's choice				
Temper	T3, T4, T5, T6				
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor) , electrophoresis, powder coating, PVDF coating, wood grain painting, etc.				
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.				
Profile type	Industry Aluminum profile used in cars, trains machinery ,trailers ,electronics, medical and other industrial filed .				
Machining	1. milling; 2. Drilling; 3. Bending; 4. Cutting				
Moulding	 Using our moulds, free; 2. Using customer's drawing, opening mould fee need to be paid. 				
Certificate	ISO14001:2004, ISO9001:2000				
FOB Port	Shanghai, etc.				

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1.Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	AI
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	Т5	≥ 160Mpa	≥ 110Mpa	≥8%
	T6	≥ 205Mpa	≥ 180Mpa	≥8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥8%

2.Specifications:




NAME	A(mm)	T(mm)	EST.WEIGHT(kg/m)		
L0115	6	4	0.065		
L0108	13	3			
L0156	.0156 14		0.341		
G478	14.5	12	0.471		
G479	15	3	0.122		
L0120	15.9	3.2	0.136		
L0119	19	4.7	0.245		
L0138	19	9.5	0.513		
L0135	20	2	0.108		
L0132	20	3	0.163		
L0174	20	8	0.434		
L0163	20.7	11.7	0.656		
L0112	25	3	0.204		
L0136	25.4	6.35	0.459		
L0137	25.4	9.5	0.686		
L0173	26	6.5	0.458		
L0101	35	3	0.284		
L0169	35	6	0.567		
L0152	38	2	0.205		
L0142	39	3	0.317		
L0153	40	5	0.569		
L0146	40	5.8	0.629		
G659	40	6	0.629		
G327	40	8	0.867		
L0162	40	12	1.301		
L0102	40	20	2.167		
L0177	41	3	0.331		
L0107	42	4	0.455		
L0106	45	5	0.610		
L0145	50	3	0.427		
L0181	50	5	0.675		
L0155	50	12	1.626		
L0157	50	14	1.897		
L0183	57.5	2	0.309		
L0166	60	8	1.301		
G542	60	10	1.626		
L0113	65	3	0.529		
L0161	72	6	1.166		
L0151	78.75	3	0.640		
G543	80	3	0.650		

Competitive Advantage:

1)Engineering design and support.

2)Aluminium profiles deeply processing:cutting,punching,drilling,milling,and fabricating.3)High Quality system, strictly inspection during production and whole inspection before package. 4)Good performance, product warranty for 15 years.



HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

@ aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421