T4 6000 Series 6061 Aluminum Profile With Electrophoresis For Radiators, **Buildings**

Basic Information

. Place of Origin: China HT . Brand Name: CA,CE · Certification: Minimum Order Quantity: 1 ton

 Packaging Details: Ep paper ,kraft ,pallet


• Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000ton each month



Product Specification

• Highlight: structural aluminum extrusions, aluminium structural sections



More Images



Product Description

T4 6000 Series 6061 Aluminum Profile With Electrophoresis For Radiators , Buildings

- 1.Alloy:6063,6061,6005 or according to customer's choice
- 2.Material:Aluminum
- 3. Suface Treatment: Mill Finished, Anodized , Drawbench, Steel polished, Wood grain coated / Wooden transfer
- 4.Deep process: Milling, Drilling, Bending, Cutting

Description:

Item	Aluminum Extrusion bar					
Material	Alloy 6063, 6061 or according to customer's choice					
Temper	T3, T4, T5, T6					
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor),					
	electrophoresis, powder coating, PVDF coating, wood grain painting, etc.					
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.					
Profile type	Industry Aluminum profile used in cars, trains machinery ,trailers ,electronics,					
	medical and other industrial filed .					
Machining	1. milling; 2. Drilling; 3. Bending; 4. Cutting					
Moulding	Using our moulds, free; 2. Using customer's drawing, opening mould fee					
	need to be paid .					
Certificate	ISO14001:2004, ISO9001:2000					
FOB Port	Shanghai, etc.					
Surface MOQ Profile type Machining Moulding Certificate	Anodize (clear, satin, bronze, black, golden, silver, other multicolor), electrophoresis, powder coating, PVDF coating, wood grain painting, etc. 1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container Industry Aluminum profile used in cars, trains machinery, trailers, electronics medical and other industrial filed. 1. milling; 2. Drilling; 3. Bending; 4. Cutting 1. Using our moulds, free; 2. Using customer's drawing, opening mould fee need to be paid. ISO14001:2004, ISO9001:2000					

Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1.Primary Technical Data


1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥ 8%

2.Specifications:



NAME	A(mm)	T(mm)	EST.WEIGHT(kg/m	
L0115	0115 6		0.065	
L0108	13	3	0.105	
L0156	14	9	0.341	
G478	14.5	12	0.471	
G479	15	3	0.122	
L0120	15.9	3.2	0.136	
L0119	19	4.7	0.245	
L0138	19	9.5	0.513	
L0135	20	2	0.108	
L0132	20	3	0.163	
L0174	20	8	0.434	
L0163	20.7	11.7	0.656	
L0112	25	3	0.204	
L0136	25.4	6.35	0.459	
L0137	25.4	9.5	0.686	
L0173	26	6.5	0.458	
L0101	35	3	0.284	
L0169	35	6	0.567	
L0152	38	2	0.205	
L0142	39	3	0.317	
L0153	40	5	0.569	
L0146	40	5.8	0.629	
G659	40	6	0.629	
G327	40	8	0.867	
L0162	40	12	1.301	
L0102	40	20	2.167	
L0177	41	3	0.331	
L0107	42	4	0.455	
L0106	45	5	0.610	
L0145	50	3	0.427	
L0181	50	5	0.675	
L0155	50	12	1.626	
L0157	50	14	1.897	
L0183	57.5	2	0.309	
L0166	60	8	1.301	
G542	60	10	1.626	
L0113	65	3	0.529	
L0161	72	6	1.166	
L0151	78.75	3	0.640	
G543	80	3	0.650	

Competitive Advantage:

- 1) Engineering design and support.
- 2)Aluminium profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
 3)High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.











