


Anodize Industrial Fan Blade For Cooling Towers , Ceiling Aluminum Fan Blades

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com


Basic Information

- Place of Origin: China
- Brand Name: HENTEC, KUNTAI
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Industrial Fan Blade
- Item: Aluminum Extrusion Profile Of Industrial Fan Blade
- Temper: T5, T6 ,T66
- Surface: Anodize
- Material: Aluminium
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting ...
- Highlight: replacement fan blade, exhaust fan blades



Product Description

Aluminum Industrial Fan Blade For Cooling Towers , Ceiling Aluminum Fan Blades

We are one of the biggest aluminium factory in the east of China . Owing the most species-wide of aluminum profile in the world. Marketing occupancy of Fan blade profile in China is No. 1 .Deep Processing Ability for aluminum and CNC: Fabrication, Drill hole, milling, de-burr, chamfer, stretch bending, welding and so on.

Description:

Commodity:	Aluminum Fan Blade
Shape:	Square Customized, Rectangular, Round
Grade	6000 Series
Species:	Industrial Aluminum Profile
Color:	white/gray/gold/black/Silver.etc
Alloy:	6063/6063A/6061
Temper :	T3 T5 T6 T8
Standard:	EN755; DIN; ASTM B221; GB5237-2008 and etc.
Certification:	SONCAP/ ISO/ CIQ/ TUV/ Rosh.etc
Surface treatment	spraying/wooden-grain/oxidation/electrophoresis.etc
Material:	Aluminum Alloy 6063
Payment term	L/C,T/T,D/P
Packing standard	Protected film and pearl cotton inside and shrink film outside
Guarantee term	If the shipped products cannot meet required, the total order amount will be refund back without delay, or arrange new replacement cargoes instead.
MOQ	1 ton for each item

Specifications:

1. Primary Technical Data

1) Chemical composition

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion resistance
	(Min-average film thickness)	(Min-part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

Competitive Advantage:

- 1.High hardness, hard aluminum series.
- 2.Fair corrosion resistance. Heat treatable
- 3.Good workability. Good appearance
- 4.High quality and reasonable price.
- 5.Our product is your best choice.

Advantages of our company:

- 1.Owe 600-4000 tons extruders.We could produce big size of profile.
- 2.Monthly production capacity:4000 tons.
- 3.99.9% raw aluminum ingot.General ALLOY:6063, 6061,6005, 6060,6082 .
- 4.We accept small QTY for special alloy.



Tag :

ceiling fan blades

,Aluminum fan blades

axial fan blade

HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421