




Powder Painted Fan Blade Aluminium Extruded Profiles For Cooling Blades

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com


Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: Rohs
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Fan Blade
- Item: Industrial Fan Blade Profile
- Temper: T5
- Surface: Anodize
- Material: Aluminum
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting
- Highlight: exhaust fan blades, palm frond fan blades



Product Description

Powder Painted Industrial Fan Blade / Aluminum Extrusion Profile For Cooling Blade

Hentec Industry Co., Ltd is one China Manufactory, professional at aluminum extrusion profiles, both semi and final products, such as Aluminum fan blade , LED aluminum bracket, aluminum door, aluminum window, aluminum curtain rod, aluminum guide rail, aluminum fencing and all kinds of industrial and building aluminum profile, square, round, flat, oval, angle, irregular and all types according to the customers' drawing.

Product Name	Industrial aluminium profile/ aluminum extrusion
Material	6063 aluminium alloy
Temper	T4 T5 T6 T66
Surface treatment	Mill finish, powder coating, anodizing, wooden grain coating, polishing, eletrophoresis, PVDF, sanding blasting, etc.
Size	Width :90-250MM
Color	Natural silver, can be customised.
Surface	Mill finish, Anodizeding, Sand Blasting, Powder coating, etc.
Deep processing	Cutting, Drilling, Treading, Bending, etc.
Application	Industry
Certification	ISO9001

Alloy	Si	Mg	Fe	Cu	Mn	Zn	Cr	Ti	Impurity		Al
									Unit	Total	
6063	0.2-0.6	0.45-0.9	< 0.35	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.05	< 0.15	Surplus
6061	0.4-0.8	0.8-1.2	< 0.7	0.15-0.4	< 0.15	< 0.25	0.04-0.35	< 0.15	< 0.05	< 0.15	Surplus
6060	0.3-0.6	0.35-0.6	0.1-0.3	≤0.1	≤0.1	≤0.15	≤0.05	< 0.1	< 0.05	< 0.15	Surplus

ADODIZINMG QUALITY

Grade	corrosion resistance				abrasive resistance	
	CASS test		alkaline dropping test		sandtrial Abrasion coefficient f,g/um	
	hours	grade				
AA10	16	≥ 9	≥ 50		≥ 300	
AA15	32	≥ 9	≥ 75		≥ 300	
AA20	56	≥ 9	≥ 100		≥ 300	
AA25	72	≥ 9	≥ 125		≥ 300	

POWDER COATING QUALITY

Gloss values	Thickness(um)		color variation	indentation resistance	adhesion	impact resistance	cupping test	presentation quality
	Max Thickness	Min Thickness						
60	≤ 120	≥ 40	Color should be consistent with the sample color	≥ 80	0	No cracking and shedding phenomenon after the front impact test,small fine lines around the concave is allowed	No cracking and shedding phenomenon after the cupping test (6mm indentation depth)	

Advantages of our company:

- 1.Owe 600-4000 tons extruders.We could produce big size of profile.
- 2.Monthly production capacity:4000 tons.

3.99.9% raw aluminum ingot.General ALLOY:6063, 6061,6005, 6060,6082 .
4.e accept small QTY for special alloy.



Our product have been exported to Europe,South Africa,Algeria, Angola, Chile, Egypt, Ethiopia, Ghana, Libya, Nepal, Nigeria, Philippines, Thailand, Tanzania, South Africa, etc. There are ready moulds for aboved countries, and easy for clients to placed order. On the other hand, you can send us your sample or drawing, we will surely make exactly what you want after discussing with each other.

Our performance is better than the ordinary ones. Excellent metal colors and strong endurance, good performance in heat-resistance, radio resistance, anti-corrosion and anti-cyclone, etc.

Our factory focus on making quality aluminum profiles and considerate service for each client. We will be your another best choice in life and hope you will never stop enjoying the benefits.

Tag :

metal fan blades

,Aluminum fan blades

axial fan blade

 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421