



Powder Painted Aluminium Extrusion Enclosure Heater / Aluminium Extrusion Motor Shell

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HT
- Minimum Order Quantity: 500KG
- Packaging Details: The product is usually packaged for 50Kg or 1000Kg, the package can also be requested by the user.





Product Specification

- Material: Aluminium
- Temper: 6063 T5
- Surface: Anodizing / Powder Painting
- Color: Silver , Black ,Customized
- Water Proof: Water Proof
- Logo: Silk Screen
- Highlight: **aluminum electrical enclosures, extruded aluminum housing**





Product Description

Powder Painted Extruded Aluminum Enclosure Aluminum Heater / Aluminium Extrusion Motor Shell

Product type	Aluminum Enclosure
Material	Aluminum 6063
Sizes	Have more than 1000 existing modes, also can be customized design.
Production Process	Profile extrusion, Cutting, Deburring, CNC Processing, Stamping, (drilling holes, tapping, Chamfering, Milling), (Brushing, Sandblasting, soda boiling, polish) Surface Treatment (Anodization, Painting, E-coating), 100% Inspection, Assembly, Package, etc.
Surface oxidation	Black anodizing, Clear anodization, Painting, E-coating, Nickel plating, etc. By your request.
Application	Electrical products , etc.
Devices	extrusion lines, Cutting machines, CNC machines, Stamping machines, milling machines, drilling machines, polish machine, laser machines, anodization line, assembly lines. etc.
Certificates & Standard	ISO9001:2015, SGS, ROHS
MOQ	500kg , can be negotiated.
Packing	Foam, Carton, Wooden case, which is suitable for.
Payment Term	T/T, L/C
Lead Time	Normally 7-20 working days after deposit received.

Order, payment, terms, shipment

- 1, Minimum order: 500kg per trial order 1 piece of sample free of charge provided by approval and kept for future mass production.
- 2, Sample Lead Time: 25 working days (15 days for making the tool and 10 days making the samples. Before sending the samples to customer, samples should pass strict test in our lab.) Production Lead time: it depends on customers' order quantity (30 working days after deposit).
- 3, Payment: (Can negotiate with customers, our usual practices are as follow)
- 4, Tooling: 100% prepaid by T/T.
- 5, Parts: 30% upon order confirmation and balance before delivery by T/T

Applications:

Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Competitive Advantage:

1. good quality aluminium profile with economic price
2. 15-year manufacturing experience
3. ISO9000
4. ODM or OEM



FAQ For Saving Your Precious Time!

Q1:What's the thickness for anodizing?Can you do 15um?

A:Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2:What color you can do for powder coating?The thickness for powder coat?

A:We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3:What color you can do for wood grain?

A:Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4:How's the weather resistance for wood grain finish D1010?

A:(1).Powder:Akzo Noble Interpon D1010.

(2).Wood grain film:Italian Memphis.

(3).Standard complied:American AAMA Standard.2603

(4).UV test:1000 hours.

(5).Salt spraying test:1000 hours.

(6).Normal weather:10 years color guarantee.

Q5:What certification do you have?What's your standard?

A:We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.


Q6:What's the delivery time for samples and mass production?

A:(1).2-3 weeks to make the new moulds and make free samples.

(2).3-4 weeks after receipt of deposit and confirmation of the order.

Our main products including :

- a). Aluminium profiles for architecture
- b). Aluminium profile for doors and window
- c). Aluminium profile for curtain wall
- d). Aluminium profiles for louver / shutter
- e). Aluminium profile for handrail and barrier
- f). Aluminium profile for decorations
- g). Aluminum profile with thermal barrier strips
- h). Aluminium tube and pipe "U"/ "I"/"L"/"O" profile
- i). Aluminium profile for Kitchen Cabinets
- j). Aluminum profile for Solar panel frame
- k). PVDF/heat transfer wooden grain aluminium profile
- l). Marble color aluminium profile
- m). CNC machined aluminium profilesaluminium profile
- n). Anodized, powder coating, electrophoresis, mirror finish, brushed aluminium profiles for furnitures
- p). Differernt kinds of extrusion profiles for construsion / decoration
- q). Aluminium profiles for industrial (Aluminum Wall/Deck panel , Aluminum I-type profile , Aluminium U-type profile , Aluminium V-type profile , Aluminium T profile, Aluminum End panel , aluminium beam , aluminium Slab length , Aluminium Joint bar , Aluminium tubes and so on)



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421