




Aluminium Industrial Fan Blade , Industry Aluminum Extrusion Profile

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com


Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Industrial Fan Blade
- Item: Industrial Fan Blade Profile
- Temper: T5, T6 ,T66
- Surface: Powder Painting
- Material: Aluminium
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting
- Highlight: replacement fan blade, exhaust fan blades



Product Description

Aluminium Industrial Fan Blade , Industry Aluminum Extrusion Profile

We are one of the biggest aluminium factory in the east of China . Owing the most species-wide of aluminum profile in the world. Marketing occupancy of Fan blade profile in China is No. 1 .Deep Processing Ability for aluminum and CNC: Fabrication, Drill hole, milling, de-burr, chamfer, stretch bending, welding and so on.

Description:

Surface Finish:	Mill finish	Anodizing	Powder Coating	Wood Grain	Electrophoresis	Polished	Brushed
Color:	Anodizing:	Silver, bronze, champagne, titanium, nickel, golden yellow, etc. Anodizing thickness is up to 25um.					
	Powder Coating:	White, black, bronze, grey, green, etc .					
		Powder coating thickness is more than 60um.					
	Electrophoresis:	Silver, nickel, golden yellow, black, champagne, etc					
	Polishing	Silver, nickel, golden yellow, black, etc					
	Brushing:	Silver, nickel, golden yellow, black, bronze, etc					
Machining:	Cutting, punching, drilling, bending, weld, mill, CNC, etc.						

Specifications:

1. Primary Technical Data

1) Chemical composition

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion resistance
	(Min-average film thickness)	(Min-part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

Competitive Advantage:

- 1.High hardness, hard aluminum series.
- 2.Fair corrosion resistance. Heat treatable
- 3.Good workability. Good appearance
- 4.High quality and reasonable price.
- 5.Our product is your best choice.

Advantages of our company:

- 1.Owe 600-4000 tons extruders.We could produce big size of profile.
- 2.Monthly production capacity:4000 tons.
- 3.99.9% raw aluminum ingot.General ALLOY:6063, 6061,6005, 6060,6082 .
- 4.We accept small QTY for special alloy.



Tag :

ceiling fan blades

,Aluminum fan blades

axial fan blade

HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421