

Electrophoresis Aluminium Window Frame Extrusions With Deep Processing

Basic Information

- Place of Origin:
- Brand Name:
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: EP Paper ,kraft and pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 20days T/T or L/C 100 000 ton each month

China HENTEC

HENTEC

Product Specification

- Material:
- Temper:Alloy:

• Surface:

• Application:

• Highlight:

Color:

Aluminium T5

6063 / 6061 / 6060

- Electrophoresis Customerized
- Window&Door
- aluminum extrusion profiles, extruded aluminium profiles



Product Description

Our company Hentec is specialized in different kinds of products which can meet your multifarious demands. We adhere to the management principles of "quality first, customer first and credit-based" since the establishmet of the company and always do our best to satisfy potential needs of our customers. Our company is sincerely willing to cooperate with enterprises from all over the world in order to realize a win-win situation since the trend of economic globalization has developed with an irresistible force.

Descrition:

Electrophoresis Aluminium Window Extrusion Profiles With Deep - Processing For Silding /Casement Window

- 1. Description: Aluminum/Aluminium extrusion profile for window/door curtain wall
- 2. Alloy temper: 6063-T5/T6; 6061-T6
- 3. Standard: EN755, ASTMB221, DIN Standard
- 4. Surface treatment: Mill finish; Anodizing; Powder coated, Brushed.
- 5. Application: Window, door, curtain wall, decoration ;Car; Aerospace; Ship; Armarium; Industrial equipment; And etc.
- 6. Advantage:
- 1) Pure 99.7% aluminum materials without any scrap used
- 2) OEM welcome, we can design and cut die to meet customer's special demand
- 3) Wonderful surface treatment, we can meet customers required on surface
- 4) Strictly quality control process assured higher quality.
- 5) Hard alloy longer life span
- 6) Packing safety and convenient.

Specifiaction of High Quality Aluminum Profile:

Description	aluminum profile windows and door							
Material Thickness(t)	t=1.0 / 1.2 / 1.4							
Material	Aluminum Alloy 6063, 6061							
Annealing Treatment	T5,T6							
Color	Green, Grey, Black, White, (RAL series)etc.							
Surface Treatment	Mill finish, anodized, powder coated, electrophoresis, sand balsting etc.and depend on customer's demand.							
Shape	Square, Round, Flat, Oval, and according to customer's drawing.							
Length	Normal length=6m or in customer's request							
Usage	Building, Production Line, Decoration, Industrial, Transportation, Door and window, etc.							
	1. Pearl cotton foam for each aluminum profile ;							
Package	2. Wrap with shrink film exterior;							
	Packed according to customer request.							
Advantages/Features	Providing colorful products with various mechanical							
nuvaniayes/1 Ealures	performances to adapt all kinds of architectural styles							

Power Coating aluminum profile windows and door



Applications:

Aluminum profile used for making aluminum door .There are many colors can be selected for surface treatment .The strength can be increased

for more products please visit us on aluminumextrusion-profiles.com

by higher wall thickness . It is possible to produce according to customized design .



Specifications:

1. Primary Technical Data

1) Che	1) Chemical composition										
Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	AI	
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest	
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest	
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest	
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest	

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	Т5	≥ 160Mpa	≥ 110Mpa	≥8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥8%

Competitive Advantage:

- 1. Top Aluminium profile manufacturer for more than 10 years in China.
- 2. Diverse Products used in the fields of construction, industry and deep-processing.
- 3. Quality Control is put in the core position of our production.
- 4. Customized Production shows our capability in product design and process control.
- 5. Perfect Customer Services include careful packaging, quick delivery and good after-sale service.



+86-13861643436

aluminum@hentec.com.cn

@ aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421