Hentec Industry Co.,Ltd aluminumextrusion-profiles.com

Anodized / Powder Painted Aluminium Profile System T Slotted Extruded Aluminum Framing

Basic Information

. Place of Origin: China . Brand Name: Hentec SGS Certification: Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 5 000 ton each month





Product Specification

• Product Name: Industrial Aluminium Profile

• Alloy: 6061,6005 • Material: Aluminum

Suface Treatment: Electrophoretic Coated, Powder Spray

Coated

• Deep Process: Bending, Cutting

T6,T66 • Temper:

· Highlight: modular aluminium profile system,

aluminium extrusion frame system

HENTEC



Product Description

Anodized / Powder Painted Industrial Aluminium Profile System T Slotted Extruded Aluminum Framing

Product Details

Product Name	Industrial aluminium profile /aluminum extrusion
Material	6063 aluminium alloy
Size	15/20/30/40/60/80/90/100 series etc.
Temper	T4 T5 T6 T66
Slot Width	6MM,8MM,10MM
Color	Natural silver,can be customised.
Surface	Mill finish, Anodizeding, Sand Blasting, Powder coating, etc.
Deep processing	Cutting, Drilling, Treading, Bending, etc.
Application	Building,Industry,Machinery
Certification	ISO9001

Surface treatment

Surface treatment	Mill-finish,Anodized,Powder coated,Electropheresis,Wood grain,Brushed, Polishing
Anodized thickness	8 - 25um
Anodized Color	Silver,black,chanpagne,bronze,gold or customized
Electropheresis Color	Silver,black,chanpagne,bronze,gold or customized
Powder coated Color	All color by RAL ,or customer's color sample
Powder coated thickness	40 - 120um
Wood grain	customized
Guarantee	surface Brightly can be stable for 10 - 20years

Drawing no	Drawing	SMM kg/m
HT-745	40	1.292
HT-746	30	0.786
HT-747	50	2.524
HT-749	20	0.464
HT-750	7.2 40 6.2	0.808
HT-751	60 8.2 10.4	1.616

Drawing no	Drawing	SMM kg/m
HT-752	40 20 30 8.2	1.646
HT-753	8.2 10.2	2.952
HT-754	45 2 0 4 2 0 4 3 8.2	2.015
HT-767	45	1.522

Applications:

Mainly used for industrial production, such as automation equipment, enclosure of the skeleton and the companies according to their own customized mold machinery and equipment, such as assembly line conveyor, hoist, dispenser, testing equipment, shelves, etc., electronic machinery industries and clean room with a gain majority.

Competitive Advantage:

1. Cost advantage

- · No mechanical machining necessary request
- · Errors in construction or assembly can be rectified more easily

2. Simple

• Just order and assemble using standard t slot aluminum profile and accessories for any structures.

3. Compatibility

• T slot aluminum profile can be combined with products in other ranges

4. Appearance

• Connection not visible from outside and therefore not a disruptive factor when using accessories

5. Resistance

- \bullet T slot aluminum profile cross-section is not weakened by drill holes or milled slots
- T slot aluminum profile is secured against twisting by the connecting technology



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436





Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421