



Powder Painting Industrial Fan Blades , Ceiling Aluminum Fan Blades

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Industrial Fan Blade
- Item: Aluminum Extrusion Profile Of Industrial Fan Blade
- Temper: T5, T6 ,T66
- Surface: Anodize
- Material: Aluminium
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting ...
- Highlight: **replacement fan blade, exhaust fan blades**



Product Description

Powder Painting Fan Blade For Cooling Towers , Ceiling Aluminum Fan Blades

We are one of the biggest aluminium factory in the east of China . Owing the most species-wide of aluminum profile in the world. Marketing occupancy of Fan blade profile in China is No. 1 .Deep Processing Ability for aluminum and CNC: Fabrication, Drill hole, milling, de-burr, chamfer, stretch bending, welding and so on.

Description:

1 Business Type	Manufacturer
2 Standard	GB 5237-2008, ASTM B221, EN755-9.
3 Product Series	Aluminum profile for construction,industry,furniture.
4 Price	Based on LME Aluminium Ingot 3 monthes seller price (www.ime.com)+processing fee.
5 Payment Term	T/T,L/C at sight.
6 Surface Treatment	Anodizing, powder coating, electrophoresis, fluorocarbon liquid painting.
7 Specification	Alloy: 6063, 6060, 6061, 6005, 6082. State: T5/T6. Length: 1m-6.5m. Anodizing thickness: 10-25micro. Powder coating thickness: >60micro. Tensile strength: >16mpa. Yield strength: >110mpa. Extensibility: >8%. Hardness(HW): >8.
8 Packing	Kraft paper, protective film, plastic shrink, pearl wool, box, wood frame.
9 MOQ	500kg per item.
10 Delivery Time	10 days cut the moulds, another 30 days complete the mass production.
11 Normal Order Sequence	1.Conform the drawings, colors and price; 2.Pay the mould fee and we start to make moulds; 3.We send samples to you for your confirmation; 4.Make the payment og 30% deposit, we start production; 5.Delivery.

Specifications:

1. Primary Technical Data

1) Chemical composition

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion resistance
	(Min-average film thickness)	(Min-part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300



Aluminium Profile Advantage

Experience:

More than 15 years production and technology experience and 10 year's exporting experience.

Market:

Northern and Southern America, Africa and Middle East, Asia etc.

Technique:

Oxidation, Spray, Electrophoresis. We can also do aluminium furniture which resembles like real solid wood furniture.

Sample:

Free samples are available. We can do various customized aluminium profile.

Management:

We have large workshops for different production techniques. Different sections help us control the good's quality and keep the workshop clean.

Tag :

ceiling fan blades

,Aluminum fan blades

axial fan blade



+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421