



Anodized Al Extrusion Profile For Draught Fan / Air Cooling Tower

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Fan Blade
- Item: Aluminum Extrusion Profile Of Industrial Fan Blade
- Temper: T5, T6
- Surface: Anodize
- Material: Aluminum
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting
- Highlight: **exhaust fan blades, palm frond fan blades**



Product Description

Anodized Aluminum Extrusion Profile Of Industrial Fan Blade , For Draught Fan / Air Cooling Tower / Industrial Fan

1. Reliable quality is certified by ISO9001:2008 and RoHS compliant
2. Competitive prices with short lead-time for both tooling and parts
3. Effective and strong technical support by over 40 engineers
4. Excellent sales services: Best attention to even the smallest detail
5. Sufficient production capacity
6. Efficient communication (48-hour quote lead time)
7. Strict Quality Control with Advanced Test & Inspection Equipments

Aspects	Details	Notice
Material	Mainly aluminum alloy 6063,6061	
Temper	T4 , T5 , T6 , T66	
Surface Treatment	Mill Finish Powder coating Anodized Electrophoresis Sand- blasting PVDF coating Wood grain	corrosion resistance impact resistance long term durability Thickness of film: Anodized ≥10 microns Powder coating 60-120 microns
Color	Upon your need	
Length	according customer's request	
Standard	GB	
Production Capacity	400000 tons annually	
Application	for window and door/curtain wall/partition, wardrobe/handrail/ solar panel and so on	Upon your need
Profile Package	Standard export package kraft , wooden case , pallet	Or upon your need
Delivery	20-25 days per 40FT container after confirmation of the order	

Specifications:

1. Primary Technical Data
- 1) Chemical composition

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion resistance
	(Min-average film thickness)	(Min-part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

Competitive Advantage:

- 1.High hardness, hard aluminum series.
- 2.Fair corrosion resistance. Heat treatable
- 3.Good workability. Good appearance
- 4.High quality and reasonable price.
- 5.Our product is your best choice.



metal fan blades
 ,Aluminum fan blades
axial fan blade

HENTEC Hentec Industry Co.,Ltd

+86-13861643436 aluminum@hentec.com.cn aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421