# **Aluminum Extrusion Profile Cooling Anodize Industrial Fan Blade**

## **Basic Information**

. Place of Origin: China **HENTEC** . Brand Name: ISO9001 · Certification: Minimum Order Quantity: 500set

Packaging Details: Ep paper , pallet or wooden case

• Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000sets each month



## **Product Specification**

• Product Name: Fan Blade

• Item: Industrial Fan Blade Profile

T5,T6 • Temper: • Surface: Anodize · Material: Aluminium

Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting

• Highlight: 6063 t5 aluminum extrusion, T5 al extrusion profile



## **Product Description**

## Cooling Industrial Fan Blades , Aluminum Extrusion Profile

Metal Plus is a professional manufacturer of Aluminum extrusion profiles ,Aluminum Fan Blade , Heat Sins , Aluminum glass windows and doors ,Aluminum glass curtain wall ,Glass facade in China.It has more than 21000m<sup>2</sup> production areas,44sets extrusion production lines as well as 3 pcs Aluminum glass windows and doors ,Glass curtain wall production lines .Owning excellent team of experienced designers and technical workers .

### Aluminum profile details:

1	Alloy	AA6063-T5, 6061-T6.							
2	Standard	GB/75237-2004							
3	Specification	Customized (OEM)							
4	Design	Can produce new dies according to customer's samples or drawings.							
5	Aluminum profiles for furniture, door and window,fan blade, lighting, heat sink, decoration, indurtrial and construction.								
6	Molds time	Molds time It is about 10 days after confirm the drawings.							
7	Length	ngth can cut as customer's requirement.							
8	Thickness As customer's requirement.								
9	MOQ	500KGS of each design.							
10	H.S CODE 7604210000								
11	Origin	Shanghai,CHINA							
	Packing way	Cover film or EP Foam , then some pieces into one							
12	r acking way	bundle pack with shrink film/carton paper outside.							
13	Delivery time	About 20-25 days after order confirmed.							
14	Loading port	Shanghai							
15	Payment terms	30% deposit, balance payment before shipment.							

	Si		Mg		Fe		Mn Z		Cr			Impurity			
Alloy						Cu		Zn			Ti	Unit	Total	Al	
6063	0.2-	0.6	0.45-0	0.9	< 0.35	< 0.1	< 0.1	< 0.1	< 0.1		< 0.1	< 0.05	< 0.15	Surplus	
6061	0.4-	8.0	0.8-1	.2	< 0.7	0.15-0.4	< 0.15	< 0.25	0.04-0.	35	< 0.15	< 0.05	< 0.15	Surplus	
6060	0.3-	0.6	0.35-0	0.6	0.1-0.3	3 ≤0.1	≤0.1	≤0.15	≤0.05		< 0.1	< 0.05	< 0.15	Surplus	
ADO	DIZII	ΝM	G QU	ALI	TY										
		cor	rosior	re	sistanc	e					abrasive resistance				
Grade		CASS test		- 1	alkaline dropping test					sandtrial Abrasion coefficient f,g/um					
AA10 16			≥ 9		≥ 50					≥ 300					
AA15	.15 32 ≥		≥ 9		≥ 75					≥ 300					
AA20	)	56 ≥ 9			≥ 100					≥ 300					
AA25 72 ≥ 9 POWDER COATING QUALIT								≥ 300							
POW	DEF		cknes			I Y									
		Max Thickne		<u> </u>	Min Thickness										
Gloss values				color variation	inden resista	tation ance	adhesi <sup>im</sup> re on e		pact istanc	cupping t	ig test	present ation quality			

60	≤ 120	≥ 40	Color should be consisten t with the sample color	≥ 80	0	No cracking and shedding phenome non after the front impact test,small fine lines around the concave is allowed	No cracking and shedding phenomenon after the cupping test (6mm indentation depth)
----	-------	------	--	------	---	---	--

#### **Features**

- 1.18 years' experiencs of manufacturing.
- 2. Strong R&D : help customers finalize the design, strong mould design ability excellent pressing and surface treatment technology.
- 3. Strict quality management: ISO Administration.
- 4. 24 hours on-line communication, Professional, Patient and Flexible.
- 5. High capacity of manufacturing and wide range of products.
- 6. Be able to provide secondary fabricating, like precise cut, drill, mill, rivet and assembly.
- 7. Be able to provide one-stop supply solution.
- 8. Close relationship with forwarders, make sure that fast shipment arrangement.

#### Advantages of our company:

- 1.Owe 600-4000 tons extruders. We could produce big size of profile.
- 2. Monthly production capacity: 4000 tons.
- 3.99.9% raw aluminum ingot. General ALLOY:6063, 6061,6005, 6060,6082.
- 4.e accept small QTY for special alloy.



Our product have been exported to Europe, South Africa, Algeria, Angola, Chile, Egypt, Ethiopia, Ghana, Libya, Nepal, Nigeria, Philippines, Thailand, Tanzania, South Africa, etc. There are ready moulds for aboved countries, and easy for clients to placed order. On the other hand, you can send us your sample or drawing, we will surely make exactly what you want after discussing with each other.

Our performance is better than the ordinary ones. Excellent metal colors and strong endurance, good performance in heat-resistance, radio resistance, anti-corrosion and anti-cyclone, etc.

Our factory focus on making quality aluminum profiles and considerate service for each client. We will be your another best choice in life and hope you will never stop enjoying the benefits.



Tag: metal fan blades ,Aluminum fan blades axial fan blade

# **⇒HENTEC** Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421