aluminumextrusion-profiles.com

Powder Painted Cutting / Drilling T5 Ceiling Fan Blades

Basic Information

. Place of Origin: China HENTEC . Brand Name: **ROHS** Certification: Minimum Order Quantity: 500set

Packaging Details: Ep paper , pallet or wooden case

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000sets each month



Product Specification

• Product Name: Industrial Fan Blade

Industrial Fan Blade Profile Item:

T5, T6 • Temper:

• Surface: Silvery Anodize · Material: Aluminum

Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting

• Highlight: 6061 aluminum extrusion, 6061 anodized aluminum



Product Description

Silvery Anodized Ceiling Fan Blades Aluminium Extruded Profiles With Cutting / Drilling

Hentec Industry Co., Ltd is one China Manufactory, professional at aluminum extrusion profiles, both semi and final products, such as Aluminum fan blade .

Hentec can design and manufacture custom industrial aluminum extrusion fan balde profile according to your specific performance or design requirements, with our expertise and experience in fan blade profile design, tooling, prototypes, testing, balancing and large scale production.

Our 4500T grade extrusion machine enable us to produce any section within 400*150mm and ϕ 360. Your drawings are definitely welcomed.

Description

Aluminum Fan Blade				
6063 aluminium alloy				
T4 T5 T6				
Mill finish, powder coating, anodizing, wooden grain coating, polishing, eletrophoresis, PVDF, sanding blasting, etc.				
As customer's special request				
6MM,8MM,10MM				
Natural silver, can be customised.				
Mill finish, Anodizeding, Sand Blasting, Powder coating, etc.				
Cutting, Drilling, Treading, Bending, etc.				
Building, Industry, Machinery				
ISO9001				

Specifications:

- 1. Primary Technical Data
- 1) Chemical composition

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

3. Surface Treatment of Sections

	(μm),not diminish than		acid-resista	ınt		abrasion re sistance
(Class)	(Min-	(Min-	CASS			
	average fil	part film thickness)	(h)	Class	(S)	(f, g /μm)
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

Competitive Advantage:

- 1) Pure 99.7% aluminum materials without any scrap used
- 2) OEM welcome, we can design and cut die to meet customer's special demand
- 3) Wonderful surface treatment, we can meet customers required on surface
- 4) Strictly quality control process assured higher quality.
- 5) Hard alloy longer life span
- 6) Packing safety and convenient.

Application:

We produce all kinds of aluminum profiles, including:

- Aluminum profile for window and door
- 2. Aluminum profile for curtain wall
- 3. Aluminium profile for furniture
- 4. Aluminium profile for bathroom
- 5. Aluminum profile for wardrobe door
- 6. Aluminum profile for kitchen cabinet7. Aluminium profile for decoration using
- 8. Aluminium profile for vehicle and other industry using

- 9. Aluminium profile for lighting
- 10. Aluminum profile for handrail
- 11. Aluminum profile for fence
- 12. Aluminum rectangular, square, round tube, etc. DIY and standard profile
- 13. Aluminum profile for louver/shutter
- 14. Aluminium profile for solar panel
- 15. Aluminium profile for frame
- 16. Aluminium profile for equipment platform
- 17. Aluminum profile for LED strip,transportation,etc.
- 18. Aluminium profile for heat sink



Tag: ceiling fan blades ,Aluminum fan blades axial fan blade

⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421