Our Product Introduction

HENTEC **Hentec Industry Co.,Ltd** aluminumextrusion-profiles.com

Anodized T Slot Assembly Stage T6 Aluminium Profile System / Aluminum Assembly Line

Basic Information

. Place of Origin: China . Brand Name: Hentec

CA ,CE ,ISO14001:2004, ISO9001:2000 · Certification:

Minimum Order Quantity:

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20days T/T ,L/C • Payment Terms:

• Supply Ability: 100 000ton each month



Product Specification

• Product Name: Industrial Aluminium Profile

• Alloy: 6063 • Material: Aluminum

Suface Treatment: Fluorocarbon Powder Spray Coated /PVDF

Paint, Drawbench, Steel Polished

• Deep Process: Milling, Drilling, Bending, Cutting

T4, T5, T6 • Temper:

· Highlight: 6063 aluminium alloy profile system,

aluminium extrusion anodising



Product Description

Anodized Industrial Aluminium Profile System / T - Slot Assembly Stage / Aluminium Assembly Line

- (1). Suitable for industry, architecture, transportation and so on.
- (2). 20 years warranty.
- (3). High corrosion resistance.
- (4). 5-10 years weather resistance.
- (5). Good wear resistance & anti-scratch.
- (6). Size customized.

More Information:

Product Name	Anodized Industrial Aluminium Profile System / T - Solt Assembly Stage					
Size	10/15/20/25/30/35/40/45/50/55/60/65/70/75/80/85series and Custom Made size					
Grade	6061/6063-T5/T6					
Standard	GB/5237-2004					
Certification	ISO9001					
Material	Aluminum					
Color	Clear, Black, any custom-made colors for options.					
Surface	Mill finish, Anodizing, Sand Blasting, Powder Coating, Etc					
Deep Processing	Machining, Cutting, Drilling, Threading, Bending, Etc					
Used	Building,Industry,Machinery,Assembly stations,Cellular manufacturing workstations,Linear motion devices and other purposes					



Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.



Specifications:

1.Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0003	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

公司图号	# 16	线密度 kg/m	公司图号	# 16	线密度 kg/m
HT-745	40	1.292	HT-752	40	1.646
HT-746	30	0.786	HT-753	80 8.2 10.2	2.952
HT-747	50	2.524	HT-754	45 22 0 2 1 0 0 1	2.015
HT-749	20	0.464	HT-767	45 27 10.2	1.522
HT-750	7.2 40 6.2	0.808			
HT-751	60 8.2 10.4	1.616			

Competitive Advantage:

- 1)Engineering design and support.
 2)Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
 3)High Quality system, strictly inspection during production and whole inspection before package.
 4)Good performance, product warranty for 15 years.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436





Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421