



Black Anodised T Slotted T6 Aluminum Extrusion Framing Systems

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 5 000 ton each month



Product Specification

- Product Name: Aluminium Profile System
- Alloy: 6063, 6061
- Material: Aluminum
- Surface Treatment: Anodized
- Deep Process: Bending,Cutting
- Temper: T5 T6
- LOGO: Silk Screen , Laser
- Color: Silvery,black Or Customized
- Highlight: **T6 Aluminum Extrusion Framing Systems, anodised black t slot aluminum, 6063 aluminum extrusion framing systems**













Product Description

Black Anodised Aluminium Extrusion System T Slotted Aluminum Extrusion Framing

40x40mm T-SLOTTED ALUMINUM EXTRUSION. This adjustable, modular framing material, assembled with simple hand tools, is a perfect solution for custom machine frames, guarding, enclosures, displays, workstations, prototyping, and beyond.

Product Details

1. Material: Aluminium alloy 6063, 6061, 6061, 6082, 6060, 6005 or according to customer's request
2. Temper: T5, T6
3. Quality standard: GB5237-2008
4. Surface treatment: Mill finish, anodized, powder coated, electrophoresis, sand blasting etc. PVDF coating, wood grain painting, matted, polishing bright
5. Color available: Silver, Bronze, champagne, Matte, Natural for anodizing, Ral for powder coating
6. Packing details: Protected film inside and shrinking film outside
7. Samples time: two weeks after receive the mold fee
8. Delivery: 20 days after deposit
9. MOQ: 1 TON
10. Payment terms: 1) T/T 2) L/C at sight
11. Port: Shanghai Port
12. 44 press extruder
13. OEM & ODM service.

Drawing no	Drawing	SMM kg/m	Drawing no	Drawing	SMM kg/m
HT-745		1.292	HT-752		1.646
HT-746		0.786	HT-753		2.952
HT-747		2.524	HT-754		2.015
HT-749		0.464	HT-767		1.522
HT-750		0.808			
HT-751		1.616			

Applications:

Mainly used for industrial production, such as automation equipment, enclosure of the skeleton and the companies according to their own customized mold machinery and equipment, such as assembly line conveyor, hoist, dispenser, testing equipment, shelves, etc., electronic machinery industries and clean room with a gain majority.

Competitive Advantage:

1. 15 years' experiences of manufacturing and exporting experiences .
2. STRONG R&D: Help customers finalize the design, strong tool design ability, excellent pressing and surface treatment technology.
3. Strict quality management: ISO Administration system.
4. 24 hours on-line communication. Professional, Patient, Flexible.
5. High capacity of manufacturing and wide range of products.
6. Be able to provide secondary fabricating.
7. Small order is accepted.
8. Be able to provide one-stop supply solution.



 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421