

Mill Finished 6063 T5 Aluminium Window Extrusion Profiles

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com


Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 1 ton
- Packaging Details: EP Paper ,kraft and pallet
- Delivery Time: 20days
- Payment Terms: T/T or L/C
- Supply Ability: 100 000 ton each month



Product Specification

- Product Name: Aluminum Window Extrusion Profiles
- Alloy: 6063,6061,6005
- Material: Aluminum
- Surface Treatment: Mill Finished,Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Bending,Cutting.
- Temper: T3, T4, T5, T6
- Highlight: **mill finished aluminium window extrusion profiles**
, 6063 t5 aluminium window extrusion profiles,
6063 T5 aluminum profile for windows



Product Description

6061 Anodized Aluminium Window Extrusion Profiles / Elevator Frame

Hentec Industrial Co.,Ltd is professional serves for Building doors and windows profiles, Railway, Cars with aluminum, IT computer and Mobile phone aluminum, Communications, Electrical, Mechanical, High-speed rail transportation, Refrigerated containers etc., special aluminum profiles for 15 years .

Description:

1. Adopt 99.7% aluminum ingots as raw material.
2. High corrosion resistance, Good wear resistance & anti-scratch.
3. Reasonable price and good quality.
4. Payment terms: T/T, L/C
5. Terms for Delivery: Ex-work, FOB, CIF
6. Samples of aluminum profile sent within 10 days
7. Size customized.

More Information:

1. Material: Aluminium alloy 6063, 6061.
2. Temper: T5, T6.
3. Quality standard: DIN; AAMA; AS/NZS; CHINAGB.
4. Surface treatment: Mill finish, anodized, powder coated, wood grain, polished, brushed, electrophoresis, etc.
5. Color available: Anyone is available based on your color samples.
6. Packing details: Shrinking film; Plastic & kraft paper; Wooden pallet
Carton packing; By customer's requirements.
7. Samples Time: Normally, 2-3 weeks.
8. Delivery: 25-30 days for mass production.
9. Production Capacity: 15000MT/Month
10. MOQ: It's based on the drawings. Basically, it's 2 tons.
11. Port: Shanghai ,as per requested.

Applications:

Sliding aluminum windows, also called aluminum sliding windows, are widely used as sliding closet windows, sliding cabinet windows, sliding bathroom windows, exterior sliding windows and sliding aluminum folding windows, and so on. They have beautiful appearance and smooth surface, and are wind proofing, water proofing, and anti-erosion.

Specifications:

1. Primary Technical Data


1) Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property


Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

2. Specifications :



Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminium profiles deeply processing: cutting, punching, drilling, milling, and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4) Good performance, product warranty for 15 years.





+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421