# T Slot Customized 4040 T3 Aluminum Extrusion System

## **Basic Information**

Place of Origin: ChinaBrand Name: HT

• Certification: CA ,CE ,ISO14001:2004, ISO9001:2000

• Minimum Order Quantity: 1 ton

Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20daysPayment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month



# **Product Specification**

Product Name: Industrial Aluminium Profile

Alloy: 6063,6061,6005Material: Aluminum

Suface Treatment: Mill Finished, Anodized , Electrophoretic

Coated, Powder Spray Coated

• Deep Process: Milling, Drilling, Bending, Cutting


• Temper: T3, T4, T5, T6

• Highlight: ca aluminum extrusion system,

4040 t3 aluminum extrusion system, 4040 t3 aluminium profile system



# More Images



## **Product Description**

## Customized Aluminum Profile System, T Slot 4040, Aluminium Extrusion Profile

## **Description:**

- 1.Alloy:6063,6061,6005 or according to customer's choice
- 2.Material:Aluminium
- 3. Suface Treatment: Mill Finished, Anodized (clear, satin, bronze, black, golden, silver, other multicolor), Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated / PVDF Paint, Drawbench, Steel polished, Wood grain coated / Wooden transfer.
- 4.Deep process: High-precision machining 1. milling; 2. Drilling; 3. Bending; 4. Cutting ...
- 5. Application:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance. 6.Temper: T4, T5, T6, T66

7.Standard :Our Industrial Aluminium Profile Meet the China national standard GB/T5237-2004, GB/T6892-2000



## Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

## Specifications:

## 1.Primary Technical Data

## 1)Chemical composition

·/ - · · · · · · · · · · · · · · · · · ·										
Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

## 2)Mechanical property

=/oc.iaoa. p. op o. ty					
Alloy	Tompor	Tensile	Viold strongth	Elongation	
Alloy	Temper	strength	rieid strengtri		
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%	
0003	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%	
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%	

公司图号	黄芪	线密度 kg/m
HT-745	40	1.292
HT-746	30	0.786
HT-747	50	2.524
HT-749	20 20 20 20 20 20 20 20 20 20 20 20 20 2	0.464
HT-750	7.2 40 6.2	0.808
HT-751	60	1.616

公司图号	# H	线密度 kg/m
HT-752	40	1.646
HT-753	80 8.2 10.2	2.952
HT-754	45 27 27 38.2	2.015
HT-767	277	1.522

## **Competitive Advantage:**

- 1)Engineering design and support.
  2)Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3)High Quality system, strictly inspection during production and whole inspection before package. 4)Good performance, product warranty for 15 years.





Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421