



6005t4 Industrial Aluminium Profile V Slotted / T Slotted Custom

Basic Information

. Place of Origin: China

· Certification: CA ,CE ,ISO14001:2004, ISO9001:2000

• Minimum Order Quantity:

· Packaging Details: Ep paper ,kraft ,pallet

• Delivery Time: 20days Payment Terms: T/T ,L/C

. Supply Ability: 100 000ton each month



Product Specification

• Product Name: Industrial Aluminium Profile

Alloy: 6063,6061,6005 • Material: Aluminum

Mill Finished, Anodized , Electrophoretic Suface Treatment:

Coated, Powder Spray

Coated, Drawbench, Steel Polished

Milling, Drilling, Bending, Cutting • Deep Process:

. Temper: T4, T5, T6

Highlight: 6005t4 industrial aluminium profile,

custom v slotted industrial aluminium profile,

6005 t4 aluminum extrusion industry



Product Description

T4 V Slotted / T Slotted Custom Industrial Aluminum Profile / Aluminium Extrusion For Industry

We are aluminium profile and accessories manufacturer in WUXI, China. We offer competitive price!

we sincerely provide u with the most efficient, the most economical and the simplest composite service.

Description:

•	
Material	T4 / T5 / T6 / T66 , 6063 aluminium alloy etc.
Surface treatment	Can be customized, such as Mill finished, Anodized, Electroplating, Powder coated, Painted, Silver matt, Sand blasted, PVDF etc.
Aluminium Profile Size	15/20/30/40/45/50/60/80/90/100/160 series etc.
V Slot, T Slot size	6mm,8mm,10mm
Color	Standard: black, silver and grey. Can be customized (RAL color numbers)
Surface	Mill finish, Anodizeding, Sand Blasting, Powder coating, etc.
Deep processing	Cutting Size, Drilling holes, Adding mounting bracket, Flanged side panels, etc.
Application	Building, Industrial, Machinery, Automation parts, CNC
Certification	ISO9001
Shipping Term	EXW, FOB, C&F or others can be discussed.



Applications:

Mainly used for industrial production, such as automation equipment, enclosure of the skeleton and the companies according to their own customized mold machinery and equipment, such as assembly line conveyor, hoist, dispenser, testing equipment, shelves, etc., electronic machinery industries and clean room with a gain majority.



Specifications:

1.Primary Technical Data

1)Chemical composition

,	/									
Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

-	2) Mechanical property						
	Alloy	Temper	Tensile	Viold strongth	Elongation		
		remper	strength	Tield Strength			
6063	6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%		
	3003	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%		
	6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%		

公司图号	黄芪	载密度 kg/m
HT-745	10.2	1.292
HT-746	30	0.786
HT-747	50	2.524
HT-749	20 22	0.464
HT-750	7.2 40 6.2	0.808
HT-751	60 8.2 10.4	1.616

公司图号	# 16	线密度 kg/m
HT-752	49 70 82 82	1.646
HT-753	80 80 8.2 10.2	2.952
HT-754	45 2 0 5 1 0 0 5 1 0 0 1	2.015
HT-767	55 25 25 25 25 25 25 25 25 25 25 25 25 2	1.522

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
 3) High Quality system, strictly inspection during production and whole inspection before package.
 4) Good performance, product warranty for 15 years.



⇒HENTEC Hentec Industry Co.,Ltd



+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421