CA T Slot 6063 Aluminium Construction Profiles Custom For Assembly Line

Basic Information

- Place of Origin:
- Certification:
- CA ,CE ,ISO14001:2004, ISO9001:2000
- Minimum Order Quantity:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1 ton Ep paper ,kraft ,pallet
- 20days

China

- T/T ,L/C
- 100 000ton each month



Product Specification

- Product Name:
- Alloy:
- Material:
- Suface Treatment:
- Deep Process:
- Temper:
- Highlight:

Industrial Aluminium Profile 6063,6061,6005 Aluminum Anodized Powder Coated, Drawbench, Steel Polished Milling, Drilling, Cutting

- T5, T6
- 6063 aluminium construction profiles, ca aluminium construction profiles, 6063 aluminium extrusion industry



Product Description

T - Slot Industrial Aluminum Extrusion Profile / Aluminum Profile For Assembly Line

T-slot Industrial Aluminium profile are mainly producted by Alloy 6061-T5/T6 or 6063-T5/T6, it is widely used for aluminium display and exhibitionshelf, aluminium coveyors system, work bench, machine frames and stairway - platform - system, transportation, construction and so on.

Mat erial s	Aluminum 6061 6063
Porc essi ng	Extrusion , CNC machining, Stamping, punching, bending, welding, threading, grinding, milling, machining, lathe, assembling etc.
Finis h	Anodizing, Powder-Coating, Electrophoresis, Wooden Transfer etc
Indu strial	Metal stamping parts/punching parts/pressing parts
Certi ficat e	ISO 9001: 2008, SGS, Rohs.
Insp ectio n	100% inspection before shipping
Pac kag e	Standard suitable package / Pallet or container / As per customized specifications
Deli very	10-30days depend on different product
Pay men t	T/T , L/C
Note	The products shown here is only to present the scope of our business activities. We can manufacture manufacture custom parts according to your drawings or samples.



Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed . In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

) Hentec



Specifications:

1. Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	AI
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	Т5	≥ 160Mpa	≥ 110Mpa	≥8%
0000	Т6	≥ 205Mpa	≥ 180Mpa	≥8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥8%

公司图号	# H	线密度 kg/m	公司图号	常用	线密度 kg/m
HT-745		1.292	HT-752		1.646
HT-746	30 0 7 8 10.2	0.786	HT-753	80	2.952
HT-747	117 102 102 102 102 102 102 102 102	2.524	HT-754		2.015
HT-749	20	0.464	HT-767	45	1.522
HT-750	7.2 40 6.2 2005 R	0.808			
HT-751	60 50 8.2 10.4	1.616			

Competitive Advantage:

Engineering design and support.
Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
High Quality system, strictly inspection during production and whole inspection before package.

4) Good performance, product warranty for 15 years.



HENTEC Hentec Industry Co.,Ltd

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421