



## 6063t6 Anodized Industrial Aluminium Profile Cylinder Shell / Electrical Shell

### Our Product Introduction

for more products please visit us on [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

#### Basic Information

- Place of Origin: China
- Brand Name: MetalPlus
- Certification: SGS
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



#### Product Specification

- Product Name: Aluminum Cylinder
- Alloy: 6063,6061
- Material: Aluminium
- Surface Treatment: Anodized ,Electrophoretic Coated,Powder Spray Coated
- Deep Process: Milling, Drilling, Cutting
- Temper: T5, T6
- Highlight: **6063 t6 industrial aluminium profile, industrial aluminium profile electrical shell , 6063t6 industrial aluminum profile**



## Product Description

### Anodized Industrial Aluminium Profiles Aluminium Cylinder Shell / Electrical Shell

Our company MetalPlus have our own manufacturing plants , focuses on production and processing of aluminum alloy profiles, and can be customized according to customer requirements: including spray color, Profile size, oxidized thickness, aluminum profile finishing (CNC, stamping, sawing, bending, welding, etc.). Products are widely used in office buildings, large supermarkets, multi-high-rise residential buildings, outdoor municipal construction ,etc.

#### Decription :

Alloy/Temper	6061 /6063 T5/T6	SGS TEST APPROVAL
Surface treatment	Mill finishes;Anodized; Powder coated;Wooden grain, Machine/Acid polished and etc	SGS TEST APPROVAL
Standard apply	EN755;DIN;ASTMB221;GB5237-2008 and etc.	SGS TEST APPROVAL
Price	SMM/LME Primary aluminum price + the most competitive conversion cost	SGS TEST APPROVAL
Delivery timetable	sample: within 20 days; order: within 20 days	SGS TEST APPROVAL
Payment term	20% deposit, the balance pay against B/L copy within 7 days	SGS TEST APPROVAL
Packing standard	Protected film and pearl cotton inside and shrink film outside	SGS TEST APPROVAL

#### Applications:

Mainly used for industrial production , such as automation equipment , enclosure of the skeleton and the companies according to their own customized mold machinery and equipment , such as assembly line conveyor , hoist, dispenser, testing equipment, shelves , etc., electronic machinery industries and clean room with a gain majority.

#### Competitive Advantage:

1. Professional production workshop for extrusion and colored profile manufacturing,including we own 6800 ton press extrusion machine.automatic vertical electrophoresis production lines.
2. Strict quality control and inspection before goods delivery.
3. Production standards: GB5237-2008 or other International standards.
4. With 15 years experience, our factory is well recognised by clients and enjoys a good reputation among overseas markets.
5. Professional R&D team .



#### FAQ For Saving Your Precious Time!

Q1: What's the thickness for anodizing?Can you do 15um?

A: Our normal thickness is about 10 um.Yes, we can do 15um and above.

Q2: What color you can do for powder coating?The thickness for powder coat?

A: We can do any color for powder coat as long as you can provide the color sample.Our normally powder coating thickness is 60-80um.

Q3: What color you can do for wood grain?

A: Our most popular colors are Western Red Cedar, Australia Cedar, Jarrah I, Jarrah II, Chestnut, Bush Cherry, Bush Wood, Western Wood, Snow Gum, etc.If you need any other colors, we can do according to the color samples you provide.

Q4: How's the weather resistance for wood grain finish D1010?

A: (1).Powder:Akzo Noble Interpon D1010.  
(2). Wood grain film:Italian Memphis.  
(3). Standard complied:American AAMA Standard.2603  
(4). UV test:1000 hours.  
(5). Salt spraying test:1000 hours.  
(6). Normal weather:10 years color guarantee.

Q5: What certification do you have?What's your standard?

A: We have ISO certification.Our standard is DIN, AAMA, AS/NZS, China GB.

Q6: What's the delivery time for samples and mass production?

A: (1).2-3 weeks to make the new moulds and make free samples.  
(2). 3-4 weeks after receipt of deposit and confirmation of the order.



 +86-13861643436

 [aluminum@hentec.com.cn](mailto:aluminum@hentec.com.cn)

 [aluminumextrusion-profiles.com](http://aluminumextrusion-profiles.com)

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421