


Customized 6063 T5 Metal Extrusion Profiles Pneumatic Cylinder

Our Product Introduction

for more products please visit us on aluminumextrusion-profiles.com

Basic Information

- Place of Origin: China
- Brand Name: MetalPlus
- Certification: CA ,CE
- Minimum Order Quantity: 500pcs
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



Product Specification

- Material: Aluminum Alloy
- Surface: Anodized
- Color: Natural
- Temper: 6063 T5
- Deep Process: Cutting ,Drilling ,Milling
- Packing: Pallet / Wooden Case
- Highlight: **pneumatic cylinder metal extrusion profiles ,
6063 t5 metal extrusion profiles,
6063t5 industrial aluminum extrusion**



Product Description

Customized Industrial Aluminium Profile / Pneumatic Cylinder

Description:

Item	Pneumatic Cylinder Profile
Material	Aluminum Alloy , 6005, 6061, 6063, 6082, etc.
Profile Shape	Round profile, Hollow profile, Oval, Tube, Flat, Triangle, Square tube , Rectangle, Rectangular, Pentagon Pentagonal, hexagon hexagonal, heptagon heptagonal, octagon octagonal shape, trapezoidal shape , Diamond, Wave-shape, Curve-shape, U-profile, L-profile, T-profile, H-profile, and customized design.
Production Process	Aluminum Extruding, Fabrication, Anodizing, etc. We can provide Aluminum with All-In-One service.
Fabrication	Machining,CNC, Sawing, Milling, Punching, Lathing, Tapping, Chamfering, Laser, Welding, Bending Assembling, etc.
Certificate and Standard	ISO9001-2008/ISO 9001:2008 SGS,
Guarantee	Surface color can be stable for 10~20 years indoor using
Packing	1.EP Paper inside for each profile separate then Craft Paper/Shrink Film outside 2.EP Paper inside for each profile separate then carton paper then pallet 3.wooden carton
MOQ	1000 kgs *More or less is acceptable, but it depends on drawings, material and fabrication requirements.

Applications:

Industrial, Aluminum Enclosure,Industrial Computer , Advertising Equipments, Office Furniture and Partitions, Windows & Door, curtain walls, Heat sink, LED Light ,Standard Profile, Medical equipment, DIY Equipment/ Furniture, electric products

Specifications:

1. Primary Technical Data

1) Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

2. Specifications:

Excellent material for smooth and subtle edges.
Elegant appearance.
Surface treatment: anodized ,electrostatic or powder coating .
Suitable for constructions and industrial purposes.
Customized surface finishes are welcome.

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminium profiles deeply processing:cutting,punching,drilling,milling,tapping ,polishing and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4) Good performance, product warranty for 15 years.



HENTEC Hentec Industry Co.,Ltd

+86-13861643436

aluminum@hentec.com.cn

aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421