



## 10mm - 250mm Polished Industrial Aluminium Profile , Architectural Aluminium Profiles

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: HT
- Certification: CA ,CE ,ISO14001:2004, ISO9001:2000
- Model Number: HTL002
- Minimum Order Quantity: 1 ton
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000ton each month



#### Product Specification

- Highlight: aluminium door frame,  
aluminium extruded profiles

## Product Description

### 10mm - 250mm Polished Industrial Aluminium Profile , Architectural Aluminium Profiles

#### Specifications

- 1.Factory directly price
- 2.ISO,EN,GB... certificates
- 3.Various surface treatment,colour,alloy and use wide

#### Which Aluminium Profiles We could supply

Alloy:6063, 6061, 6082, 6060, 6005

Temp:T4, T5, T6 ,T66

Finish:Mill finish, Anodized,Powder coated,Electrophoresis,Wooden grain.

Extrude size:10mm-250mm

#### Technology Supports

Engineering design

Autocad drawing

Aluminium profiles deeply processing:cutting,punching,drilling,milling,dending and fabricating.

**Export Experience:**17Years All Over The World.

#### Extrusion System

Shapes: Various Shapes. In Agreement With Design Drawings Or Samples.

Maximum Cross Section Width And Cut Length: 410mm And 13mm.

Presses And Tonnage: 30 Extrusion Machines Imported From Taiwan And Europe, 600 To 4000 Us Tons.

Production Capacity:300,000 Tons Per Year.

#### Anodizing System

Facilities: Six Anodizing Production Lines Made In Taiwan.

Colors: Silver, Champagne,Bronze,Black, Stainless,Gold,Platinum,etc.

Maximum Film Thickness:35um

Standardization: QUALANOD,EN12373, ..

公司图号	图 样	线密度 kg/m	公司图号	图 样	线密度 kg/m
HT-745		1.292	HT-752		1.646
HT-746		0.786	HT-753		2.952
HT-747		2.524	HT-754		2.015
HT-749		0.464	HT-767		1.522
HT-750		0.808			
HT-751		1.616			

#### Competitive Advantage:

- 1)Engineering design and support.
- 2)Aluminum profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3)High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.

