# Clear Anodized 6063-T5 Extruded Aluminium Profiles Industrial For LED **Profile**

## **Basic Information**

. Place of Origin: China HT . Brand Name: CA,CE · Certification: KTES-087 Model Number: Minimum Order Quantity: 500pcs

Ep paper ,kraft ,pallet Packaging Details:

. Delivery Time: 20days • Payment Terms: T/T ,L/C

Supply Ability: 100 000ton each month



## **Product Specification**

• Product Name: Industrial Aluminium Profile

• Alloy: 6063,6061,6005 • Material: Aluminum

Suface Treatment: Mill Finished, Anodized , Electrophoretic

Coated, Powder Spray Coated

• Deep Process: Milling, Drilling, Bending, Cutting

T3, T4, T5, T6 • Temper:

· Highlight: aluminum extrusion profiles, aluminium extruded profiles

## **Product Description**

Clear Anodized 6063-T5 Extruded Aluminium Profiles Industrial For LED Profile

- 1.Alloy:6063,6061,6005 or according to customer's choice
- 2.Material:Aluminum
- 3.Suface Treatment: Mill Finished, Anodized , Electrophoretic coated, Powder spray coated, Fluorocarbon powder spray coated /PVDF Paint, Drawbench, Steel polished, Wood grain coated /Wooden transfer .
- 4.Deep process: Milling, Drilling, Bending, Cutting.

#### Description:

Item	Clear Anodized 6063-T5 Extruded Aluminium Profiles Industrial For LED Profile								
Material	Alloy 6063, 6061 or according to customer's choice								
Temper	T3, T4, T5, T6								
Surface	Anodize (clear, satin, bronze, black, golden, silver, other multicolor), electrophoresis, powder coating, PVDF coating, wood grain painting, etc.								
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.								
Profile type	Industry Aluminum profile used in cars, trains machinery ,trailers ,electronics medical and other industrial filed .								
Processing	Industrial Aluminium Profile extruding ,Precise cutting,Straight rectification,Bending,Drilling,Tapping,Stamping,Pulling,CNC mill, CNC lathe. For precious machining and cutting, length tolerance can be 0.2mm, hole tolerance can be 0.05mm.								
Moulding	Using our moulds, free; 2. Using customer's drawing, opening mould fee need to be paid.								
Certificate	ISO14001:2004, ISO9001:2000								
Standard	Our Industrial Aluminium Profile Meet the China national standard GB/T6892-2006 and Europe standard EN12020-1,2(2001) and American standard AAMA611-98.								
FOB Port	Shanghai, etc.								

### Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

#### Specifications:

#### 1.Primary Technical Data

#### 1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

## 2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
0003	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

#### 2.Specifications:

Excellent material for smooth and subtle edges.

Elegant appearance.

Surface treatment: colorful anodized or electrostatic powder coated

Suitable for constructions and other industrial purposes.

Customized surface finishes are welcome.

### Competitive Advantage:

- 1) Engineering design and support.
- $2) A luminum\ profiles\ deeply\ processing: cutting, punching, drilling, milling, and\ fabricating.$
- 3)High Quality system, strictly inspection during production and whole inspection before package.
- 4)Good performance, product warranty for 15 years.

# **⇒HENTEC** Hentec Industry Co.,Ltd

+86-13861643436



aluminum@hentec.com.cn



aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421