# V Slot Industrial Extrusion Aluminium Profile For Mask Machine T5 **Temper**

## **Basic Information**

- Place of Origin:
- Brand Name:
- China MetalPlus
- CA ,CE ,ISO14001:2004, ISO9001:2000 Certification: 1 ton
- Minimum Order Quantity:
- Packaging Details: Ep paper ,kraft ,pallet
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 20days T/T ,L/C
- 100 000ton each month



## **Product Specification**

- Product Name:
- Alloy:
- Material:
- Suface Treatment:
- Deep Process:
- Temper:
- Highlight:

6063,6061,6005 Aluminum

Industrial Aluminium Profile

- Anodized Powder Coated, Drawbench, Steel Polished
- Milling, Drilling, Cutting
- T5, T6

Aluminum V Slot Extrusion Profiles, T5 Temper Aluminum Extrusion Profiles, **Drawbench Aluminum Extrusion Profiles** 



#### Customized Industrial Aluminum Extrusion Profile T Slot Aluminium Profile Frame

T-slot Industrial Aluminium profile are mainly producted by Alloy 6061-

T5/T6 or 6063-T5/T6, it is widely used for aluminium display and exhibition

shelf, aluminium coveyors system, work bench, machine frames and stairway

-platform-system, transportation, construction and so on.

Material	6063 6061 6082 6005 6060 T4 T5 T6 T66 aluminium alloy etc.
Surface treatment	Can be customized, such as Mill finished, Anodized, Electroplating, Powder coated, Painted, Silver matt, Sand blasted, PVDF etc.
Aluminium Profile Size	15/20/30/40/45/50/60/80/90/100/160 series etc.
V Slot, T Slot size	6mm,8mm,10mm
Color	Standard: black, silver and grey. Can be customized (RAL color numbers)
Surface	Mill finish, Anodizeding, Sand Blasting, Powder coating, etc.
Deep processing	Cutting Size, Drilling holes, Adding mounting bracket, Flanged side panels, etc.
Application of Aluminium Profile	Building, Industrial, Machinery, Automation parts, CNC
Certification	ISO9001
Shipping Term	EXW, FOB, C&F or others can be discussed.



#### **Application :**

Stock Aluminum Extrusions aluminum extrusion profile :

Mainly used for industrial production, such as automation equipment, enclosure of the skeleton and the companies according to their own customized mold machinery and equipment, such as assembly line conveyor, hoist, dispenser, testing equipment, shelves, etc., electronic machinery industries and clean room with a gain majority.

#### Advantages:

1), to facilitate the construction : a modular and multi-functional, without complex design and processing , you can quickly frame the ideal machinery coat.

2), beautiful and practical : light and high rigidity, simple and beautiful appearance .

3), Strong scalability : The unique T-type, groove design , the installation of components without demolition profiles can be installed anywhere in the nut screws , modified equipment is simple and quick.

#### Main products :

Anodized aluminum, electrophoretic coating aluminum , electrostatic powder coating aluminum and oxygen barrier broken

bridge aluminum , wood brick in aluminum , PVDF coating aluminum, Sliding window , casement series , every thermal bridge series , general decoration series, curtain series, industrial profile series.





### Specifications:

### 1. Primary Technical Data

1)Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al
6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

#### 2)Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥8%

公司图号	前民	线密度 kg/m	公司图号	黄芪	线密度 kg/m
HT-745		1.292	HT-752		1.646
HT-746	30 57 78 10.2	0.786	HT-753	80 80 80 80 80 80 80 80 80 80	2.952
HT-747	50 50 50 50 50 50 50 50 50 50 50 50 50 5	2.524	HT-754		2.015
HT-749		0.464	HT-767	45	1.522
HT-750	7.2 40 2000 8	0.808			
HT-751	60 50 60 8.2 10.4	1.616			

## Competitive Advantage:

2) Aluminum	ing design and support. n profiles deeply processing:cutting,punching,drilling,milling,and fabricating. Ility system, strictly inspection during production and whole inspection before package.
	formance, product warranty for 15 years.
	<b>HENTEC</b> Hentec Industry Co.,Ltd
	+86-13861643436 C aluminum@hentec.com.cn C aluminumextrusion-profiles.com